BOTTOM, CHARMED MESONS
$(B = C = \pm 1)$

$B_c^+ = c\overline{b}$, $B_c^- = \overline{c}\,b$,   similarly for B_c^*'s

---

B_c^+

$I(J^P) = 0(0^-)$
I, J, P need confirmation.
Quantum numbers shown are quark-model predicitions.

Mass $m = 6274.9 \pm 0.8$ MeV
Mean life $\tau = (0.507 \pm 0.009) \times 10^{-12}$ s

B_c^- modes are charge conjugates of the modes below.

B_c^+ DECAY MODES $\times$ B($\overline{b} \to B_c$)	Fraction (Γ_i/Γ)		Confidence level	p (MeV/c)
The following quantities are not pure branching ratios; rather the fraction $\Gamma_i/\Gamma \times$ B($\overline{b} \to B_c$).				
$J/\psi(1S)\ell^+\nu_\ell$ anything	$(5.2 \,^{+2.4}_{-2.1}) \times 10^{-5}$			–
$J/\psi(1S)\pi^+$	seen			2371
$J/\psi(1S)K^+$	seen			2341
$J/\psi(1S)\pi^+\pi^+\pi^-$	seen			2350
$J/\psi(1S)a_1(1260)$	< 1.2	$\times 10^{-3}$	90%	2169
$J/\psi(1S)K^+K^-\pi^+$	seen			2203
$J/\psi(1S)\pi^+\pi^+\pi^+\pi^-\pi^-$	seen			2309
$\psi(2S)\pi^+$	seen			2052
$J/\psi(1S)D_s^+$	seen			1822
$J/\psi(1S)D_s^{*+}$	seen			1728
$J/\psi(1S)p\overline{p}\pi^+$	seen			1792
$\chi_c^0\pi^+$	$(2.4 \,^{+0.9}_{-0.8}) \times 10^{-5}$			2205
$p\overline{p}\pi^+$	not seen			2970
$D^*(2010)^+\overline{D}^0$	< 6.2	$\times 10^{-3}$	90%	2467
D^+K^{*0}	< 0.20	$\times 10^{-6}$	90%	2783
$D^+\overline{K}^{*0}$	< 0.16	$\times 10^{-6}$	90%	2783
$D_s^+K^{*0}$	< 0.28	$\times 10^{-6}$	90%	2751
$D_s^+\overline{K}^{*0}$	< 0.4	$\times 10^{-6}$	90%	2751
$D_s^+\phi$	< 0.32	$\times 10^{-6}$	90%	2727
K^+K^0	< 4.6	$\times 10^{-7}$	90%	3098
$B_s^0\pi^+$ / B($\overline{b} \to B_s$)	$(2.37^{+0.37}_{-0.35}) \times 10^{-3}$			–