

$D^*(2010)^{\pm}$	$I(J^P) = \frac{1}{2}(1^-)$
$J^P = 1^-$ established by ABLIKIM 23AZ.	

 $D^*(2010)^{\pm}$ MASS

The fit includes D^{\pm} , D^0 , D_s^{\pm} , $D^{*\pm}$, D^{*0} , $D_s^{*\pm}$, $D_1(2420)^0$, $D_2^*(2460)^0$, and $D_{s1}(2536)^{\pm}$ mass and mass difference measurements.

VALUE (MeV)	DOCUMENT ID	TECN	CHG	COMMENT
2010.26±0.05 OUR FIT				
• • • We do not use the following data for averages, fits, limits, etc. • • •				
2008 ± 3	¹ GOLDHABER 77	MRK1	\pm	$e^+ e^-$
2008.6 ± 1.0	² PERUZZI 77	LGW	\pm	$e^+ e^-$

¹ From simultaneous fit to $D^*(2010)^+$, $D^*(2007)^0$, D^+ , and D^0 ; not independent of FELDMAN 77B mass difference below.
² PERUZZI 77 mass not independent of FELDMAN 77B mass difference below and PERUZZI 77 D^0 mass value.

 $m_{D^*(2010)^+} - m_{D^+}$

The fit includes D^{\pm} , D^0 , D_s^{\pm} , $D^{*\pm}$, D^{*0} , $D_s^{*\pm}$, $D_1(2420)^0$, $D_2^*(2460)^0$, and $D_{s1}(2536)^{\pm}$ mass and mass difference measurements.

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
140.603 ±0.015 OUR FIT				
140.602 ±0.014 OUR AVERAGE				
140.6010 $\pm 0.0068 \pm 0.0129$	151k	LEES	17F	BABR $e^+ e^- \rightarrow$ hadrons
140.64 $\pm 0.08 \pm 0.06$	620	BORTOLETTO92B	CLE2	$e^+ e^- \rightarrow$ hadrons

 $m_{D^*(2010)^+} - m_{D^0}$

The fit includes D^{\pm} , D^0 , D_s^{\pm} , $D^{*\pm}$, D^{*0} , $D_s^{*\pm}$, $D_1(2420)^0$, $D_2^*(2460)^0$, and $D_{s1}(2536)^{\pm}$ mass and mass difference measurements.

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
145.4258±0.0017 OUR FIT				
145.4258±0.0020 OUR AVERAGE				
Error includes scale factor of 1.2.				
145.4259 $\pm 0.0004 \pm 0.0017$	312.8k	LEES	13X	BABR $D^{*\pm} \rightarrow D^0 \pi^{\pm} \rightarrow (K\pi, K3\pi)\pi^{\pm}$
145.412 $\pm 0.002 \pm 0.012$		ANASTASSOV 02	CLE2	$D^{*\pm} \rightarrow D^0 \pi^{\pm} \rightarrow (K\pi)\pi^{\pm}$
145.54 ± 0.08	611	¹ ADINOLFI 99	BEAT	$D^{*\pm} \rightarrow D^0 \pi^{\pm}$
145.45 ± 0.02		¹ BREITWEG 99	ZEUS	$D^{*\pm} \rightarrow D^0 \pi^{\pm} \rightarrow (K\pi)\pi^{\pm}$
145.42 ± 0.05		¹ BREITWEG 99	ZEUS	$D^{*\pm} \rightarrow D^0 \pi^{\pm} \rightarrow (K^- 3\pi)\pi^{\pm}$
145.5 ± 0.15	103	² ADLOFF 97B	H1	$D^{*\pm} \rightarrow D^0 \pi^{\pm}$

145.44	± 0.08	152	² BREITWEG	97	ZEUS	$D^{\ast\pm} \rightarrow D^0 \pi^\pm,$ $D^0 \rightarrow K^- 3\pi$
145.42	± 0.11	199	² BREITWEG	97	ZEUS	$D^{\ast\pm} \rightarrow D^0 \pi^\pm,$ $D^0 \rightarrow K^- \pi^+$
145.4	± 0.2	48	² DERRICK	95	ZEUS	$D^{\ast\pm} \rightarrow D^0 \pi^\pm$
145.39	± 0.06	± 0.03	BARLAG	92B	ACCM	$\pi^- 230 \text{ GeV}$
145.5	± 0.2	115	² ALEXANDER	91B	OPAL	$D^{\ast\pm} \rightarrow D^0 \pi^\pm$
145.30	± 0.06		² DECAMP	91J	ALEP	$D^{\ast\pm} \rightarrow D^0 \pi^\pm$
145.40	± 0.05	± 0.10	ABACHI	88B	HRS	$D^{\ast\pm} \rightarrow D^0 \pi^\pm$
145.46	± 0.07	± 0.03	ALBRECHT	85F	ARG	$D^{\ast\pm} \rightarrow D^0 \pi^+$
145.5	± 0.3	28	BAILEY	83	SPEC	$D^{\ast\pm} \rightarrow D^0 \pi^\pm$
145.5	± 0.3	60	FITCH	81	SPEC	$\pi^- A$
145.3	± 0.5	30	FELDMAN	77B	MRK1	$D^{\ast+} \rightarrow D^0 \pi^+$
• • • We do not use the following data for averages, fits, limits, etc. • • •						
145.4256	± 0.0006	± 0.0017	138.5k	LEES	13X	$BABR D^{\ast\pm} \rightarrow D^0 \pi^\pm \rightarrow (K^- \pi^+) \pi^\pm$
145.4266	± 0.0005	± 0.0019	174.3k	LEES	13X	$BABR D^{\ast\pm} \rightarrow D^0 \pi^\pm \rightarrow (K^- 2\pi^+ \pi^-) \pi^\pm$
145.44	± 0.09	122	² BREITWEG	97B	ZEUS	$D^{\ast\pm} \rightarrow D^0 \pi^\pm,$ $D^0 \rightarrow K^- \pi^+$
145.8	± 1.5	16	AHLEN	83	HRS	$D^{\ast+} \rightarrow D^0 \pi^+$
145.1	± 1.8	12	BAILEY	83	SPEC	$D^{\ast\pm} \rightarrow D^0 \pi^\pm$
145.1	± 0.5	14	BAILEY	83	SPEC	$D^{\ast\pm} \rightarrow D^0 \pi^\pm$
145.5	± 0.5	14	YELTON	82	MRK2	$29 e^+ e^- \rightarrow K^- \pi^+$
~ 145.5			AVERY	80	SPEC	γA
145.2	± 0.6	2	BLIETSCHAU	79	BEBC	νp

¹ Statistical errors only.² Systematic error not evaluated.

$m_{D^*(2010)^+} - m_{D^*(2007)^0}$

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2.6 ± 1.8	¹ PERUZZI	77	LGW $e^+ e^-$
¹ Not independent of FELDMAN 77B mass difference above, PERUZZI 77 D^0 mass, and GOLDHABER 77 $D^*(2007)^0$ mass.			

$D^*(2010)^\pm$ WIDTH

VALUE (keV)	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
83.4 ± 1.8 OUR AVERAGE					
83.3 ± 1.2	± 1.4	312.8k	¹ LEES	13X	$BABR D^{\ast\pm} \rightarrow D^0 \pi^\pm \rightarrow (K \pi, K 3\pi) \pi^\pm$
96	± 4	± 22	¹ ANASTASSOV	02	CLE2 $D^{\ast\pm} \rightarrow D^0 \pi^\pm \rightarrow (K \pi) \pi^\pm$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
83.4 ± 1.7	± 1.5	138.5k	¹ LEES	13X	$BABR D^{\ast\pm} \rightarrow D^0 \pi^\pm \rightarrow (K^- \pi^+) \pi^\pm$
83.2 ± 1.5	± 2.6	174.3k	¹ LEES	13X	$BABR D^{\ast\pm} \rightarrow D^0 \pi^\pm \rightarrow (K^- 2\pi^+ \pi^-) \pi^\pm$
<131	90	110	BARLAG	92B	ACCM $\pi^- 230 \text{ GeV}$

¹ Ignoring the electromagnetic contribution from $D^{*\pm} \rightarrow D^\pm \gamma$.

$D^*(2010)^\pm$ DECAY MODES

$D^*(2010)^-$ modes are charge conjugates of the modes below.

Mode	Fraction (Γ_i/Γ)	Confidence level
$\Gamma_1 D^0 \pi^+$	(67.7 \pm 0.5) %	
$\Gamma_2 D^+ \pi^0$	(30.7 \pm 0.5) %	
$\Gamma_3 D^+ \gamma$	(1.6 \pm 0.4) %	
$\Gamma_4 e^+ \nu_e$	< 1.1 $\times 10^{-5}$	90%
$\Gamma_5 \mu^+ \nu_\mu$	< 4.3 $\times 10^{-6}$	90%

CONSTRAINED FIT INFORMATION

An overall fit to 3 branching ratios uses 6 measurements and one constraint to determine 3 parameters. The overall fit has a $\chi^2 = 0.3$ for 4 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta x_i \delta x_j \rangle / (\delta x_i \cdot \delta x_j)$, in percent, from the fit to the branching fractions, $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$. The fit constrains the x_i whose labels appear in this array to sum to one.

$$\begin{array}{cc|cc} & & -62 & \\ x_2 & & -43 & -44 \\ & & x_1 & x_2 \end{array}$$

$D^*(2010)^+$ BRANCHING RATIOS

$\Gamma(D^0 \pi^+)/\Gamma_{\text{total}}$		Γ_1/Γ
VALUE	DOCUMENT ID	TECN COMMENT
0.677 \pm 0.005 OUR FIT		
0.677 \pm 0.006 OUR AVERAGE		
0.6759 \pm 0.0029 \pm 0.0064	1,2,3 BARTEL T 98 CLE2 $e^+ e^-$	
0.688 \pm 0.024 \pm 0.013	ALBRECHT 95F ARG $e^+ e^- \rightarrow$ hadrons	
0.681 \pm 0.010 \pm 0.013	¹ BUTLER 92 CLE2 $e^+ e^- \rightarrow$ hadrons	
• • • We do not use the following data for averages, fits, limits, etc. • • •		
0.57 \pm 0.04 \pm 0.04	ADLER 88D MRK3 $e^+ e^-$	
0.44 \pm 0.10	COLES 82 MRK2 $e^+ e^-$	
0.6 \pm 0.15	³ GOLDHABER 77 MRK1 $e^+ e^-$	

¹ The branching ratios are not independent, they have been constrained by the authors to sum to 100%.

² Systematic error includes theoretical error on the prediction of the ratio of hadronic modes.

³ Assuming that isospin is conserved in the decay.

$\Gamma(D^+\pi^0)/\Gamma_{\text{total}}$ Γ_2/Γ

VALUE	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
0.307 ± 0.005 OUR FIT					
0.3073 ± 0.0013 ± 0.0062		1,2,3	BARTEL	98	CLE2 $e^+ e^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.312 ± 0.011 ± 0.008	1404	ALBRECHT	95F	ARG	$e^+ e^- \rightarrow \text{hadrons}$
0.308 ± 0.004 ± 0.008	410	¹ BUTLER	92	CLE2	$e^+ e^- \rightarrow \text{hadrons}$
0.26 ± 0.02 ± 0.02		ADLER	88D	MRK3	$e^+ e^-$
0.34 ± 0.07		COLES	82	MRK2	$e^+ e^-$

¹ The branching ratios are not independent, they have been constrained by the authors to sum to 100%.

² Systematic error includes theoretical error on the prediction of the ratio of hadronic modes.

³ Assuming that isospin is conserved in the decay.

 $\Gamma(D^+\gamma)/\Gamma_{\text{total}}$ Γ_3/Γ

VALUE	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
0.016 ± 0.004 OUR FIT					
0.016 ± 0.005 OUR AVERAGE					
0.0168 ± 0.0042 ± 0.0029					
0.011 ± 0.014 ± 0.016	12	^{1,2} BARTEL	98	CLE2	$e^+ e^-$
		¹ BUTLER	92	CLE2	$e^+ e^- \rightarrow \text{hadrons}$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.052	90	ALBRECHT	95F	ARG	$e^+ e^- \rightarrow \text{hadrons}$
0.17 ± 0.05 ± 0.05		ADLER	88D	MRK3	$e^+ e^-$
0.22 ± 0.12		³ COLES	82	MRK2	$e^+ e^-$

¹ The branching ratios are not independent, they have been constrained by the authors to sum to 100%.

² Systematic error includes theoretical error on the prediction of the ratio of hadronic modes.

³ Not independent of $\Gamma(D^0\pi^+)/\Gamma_{\text{total}}$ and $\Gamma(D^+\pi^0)/\Gamma_{\text{total}}$ measurement.

 $\Gamma(e^+\nu_e)/\Gamma_{\text{total}}$ Γ_4/Γ

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<1.1 × 10⁻⁵	90	ABLIKIM	24AO BES3	$e^+ e^-$ at 4.178–4.226 GeV

 $\Gamma(\mu^+\nu_\mu)/\Gamma_{\text{total}}$ Γ_5/Γ

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<4.3 × 10⁻⁶	90	ABLIKIM	24AO BES3	$e^+ e^-$ at 4.178–4.226 GeV

 $D^*(2010)^{\pm}$ REFERENCES

ABLIKIM	24AO	PR D110 012003	M. Ablikim <i>et al.</i>	(BESIII Collab.)
ABLIKIM	23AZ	PL B846 138245	M. Ablikim <i>et al.</i>	(BESIII Collab.) JP
LEES	17F	PRL 119 202003	J.P. Lees <i>et al.</i>	(BABAR Collab.)
LEES	13X	PRL 111 111801	J.P. Lees <i>et al.</i>	(BABAR Collab.)
Also		PR D88 052003	J.P. Lees <i>et al.</i>	(BABAR Collab.)
Also		PR D88 079902 (errat.)	J.P. Lees <i>et al.</i>	(BABAR Collab.)
ANASTASSOV	02	PR D65 032003	A. Anastassov <i>et al.</i>	(CLEO Collab.)
ADINOLFI	99	NP B547 3	M. Adinolfi <i>et al.</i>	(Beatrice Collab.)
BREITWEG	99	EPJ C6 67	J. Breitweg <i>et al.</i>	(ZEUS Collab.)
BARTEL	98	PRL 80 3919	J. Bartelt <i>et al.</i>	(CLEO Collab.)
ADLOFF	97B	ZPHY C72 593	C. Adloff <i>et al.</i>	(H1 Collab.)

BREITWEG	97	PL B401 192	J. Breitweg <i>et al.</i>	(ZEUS Collab.)
BREITWEG	97B	PL B407 402	J. Breitweg <i>et al.</i>	(ZEUS Collab.)
ALBRECHT	95F	ZPHY C66 63	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
DERRICK	95	PL B349 225	M. Derrick <i>et al.</i>	(ZEUS Collab.)
BARLAG	92B	PL B278 480	S. Barlag <i>et al.</i>	(ACCMOR Collab.)
BORTOLETTO	92B	PRL 69 2046	D. Bortoletto <i>et al.</i>	(CLEO Collab.)
BUTLER	92	PRL 69 2041	F. Butler <i>et al.</i>	(CLEO Collab.)
ALEXANDER	91B	PL B262 341	G. Alexander <i>et al.</i>	(OPAL Collab.)
DECAMP	91J	PL B266 218	D. Decamp <i>et al.</i>	(ALEPH Collab.)
ABACHI	88B	PL B212 533	S. Abachi <i>et al.</i>	(ANL, IND, MICH, PURD+)
ADLER	88D	PL B208 152	J. Adler <i>et al.</i>	(Mark III Collab.)
ALBRECHT	85F	PL 150B 235	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
AHLEN	83	PRL 51 1147	S.P. Ahlen <i>et al.</i>	(ANL, IND, LBL+)
BAILEY	83	PL 132B 230	R. Bailey <i>et al.</i>	(AMST, BRIS, CERN, CRAC+)
COLES	82	PR D26 2190	M.W. Coles <i>et al.</i>	(LBL, SLAC)
YELTON	82	PRL 49 430	J.M. Yelton <i>et al.</i>	(SLAC, LBL, UCB+)
FITCH	81	PRL 46 761	V.L. Fitch <i>et al.</i>	(PRIN, SACL, TORI+)
AVERY	80	PRL 44 1309	P. Avery <i>et al.</i>	(ILL, FNAL, COLU)
BLIETSCHAU	79	PL 86B 108	J. Blietschau <i>et al.</i>	(AACH3, BONN, CERN+)
FELDMAN	77B	PRL 38 1313	G.J. Feldman <i>et al.</i>	(Mark I Collab.)
GOLDHABER	77	PL 69B 503	G. Goldhaber <i>et al.</i>	(Mark I Collab.)
PERUZZI	77	PRL 39 1301	I. Peruzzi <i>et al.</i>	(LGW Collab.)