

$N(2250) \ 9/2^-$

$I(J^P) = \frac{1}{2}(\frac{9}{2}^-)$ Status: ****

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014).

$N(2250)$ POLE POSITION

REAL PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
2100 to 2200 ($\approx$ 2150) OUR ESTIMATE			
2095 $\pm$ 10	ROENCHEN	22	DPWA Multichannel
2195 $\pm$ 45	AFZAL	20	DPWA Multichannel
2157 $\pm$ 3 $\pm$ 14	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
2195 $\pm$ 45	ANISOVICH	12A	DPWA Multichannel
2150 $\pm$ 50	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
2127	HUNT	19	DPWA Multichannel
2062	ROENCHEN	15A	DPWA Multichannel
2217	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
2187	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

¹ Fit to the amplitudes of HOEHLER 79.

−2×IMAGINARY PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
350 to 500 ($\approx$ 420) OUR ESTIMATE			
422 $\pm$ 13	ROENCHEN	22	DPWA Multichannel
470 $\pm$ 50	AFZAL	20	DPWA Multichannel
412 $\pm$ 7 $\pm$ 44	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
470 $\pm$ 50	ANISOVICH	12A	DPWA Multichannel
360 $\pm$ 100	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
262	HUNT	19	DPWA Multichannel
403	ROENCHEN	15A	DPWA Multichannel
431	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
388	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

¹ Fit to the amplitudes of HOEHLER 79.

$N(2250)$ ELASTIC POLE RESIDUE

MODULUS $|r|$

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
15 to 30 ($\approx$ 25) OUR ESTIMATE			
14 $\pm$ 1	ROENCHEN	22	DPWA Multichannel
24 $\pm$ 1 $\pm$ 5	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
26 $\pm$ 5	ANISOVICH	12A	DPWA Multichannel
20 $\pm$ 6	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
8.2	ROENCHEN	15A	DPWA Multichannel
21	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
21	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

¹Fit to the amplitudes of HOEHLER 79.**PHASE θ**

VALUE (°)	DOCUMENT ID	TECN	COMMENT
−60 to −20 (≈ −40) OUR ESTIMATE			
−67 ± 9	ROENCHEN	22	DPWA Multichannel
−62 ± 1 ± 11	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
−38 ± 25	ANISOVICH	12A	DPWA Multichannel
−50 ± 20	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
−64	ROENCHEN	15A	DPWA Multichannel
−20	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$

¹Fit to the amplitudes of HOEHLER 79. **$N(2250)$ INELASTIC POLE RESIDUE**The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.**Normalized residue in $N\pi \rightarrow N(2250) \rightarrow N\eta$**

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.018 ± 0.001	−89 ± 5	ROENCHEN	22	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.017	−89	ROENCHEN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2250) \rightarrow \Lambda K$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.003 ± 0.001	80 ± 5	ROENCHEN	22	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.006	−101	ROENCHEN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2250) \rightarrow \Sigma K$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.004 ± 0.002	−111 ± 5	ROENCHEN	22	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.002	70	ROENCHEN	15A	DPWA Multichannel

 $N(2250)$ BREIT-WIGNER MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
2250 to 2320 (≈ 2280) OUR ESTIMATE			
2200 ± 10	¹ HUNT	19	DPWA Multichannel
2280 ± 40	ANISOVICH	12A	DPWA Multichannel
2302 ± 6	¹ ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
2250 ± 80	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
2268 ± 15	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$

¹Statistical error only.

***N*(2250) BREIT-WIGNER WIDTH**

<i>VALUE</i> (MeV)	<i>DOCUMENT ID</i>	<i>TECN</i>	<i>COMMENT</i>
300 to 600 ($\approx$ 500) OUR ESTIMATE			
343 ± 51	¹ HUNT	19	DPWA Multichannel
520 ± 50	ANISOVICH	12A	DPWA Multichannel
628 ± 28	¹ ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
480 ± 120	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
300 ± 40	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
¹ Statistical error only.			

***N*(2250) DECAY MODES**

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 \quad N\pi$	5–15 %
$\Gamma_2 \quad N\eta$	<5 %
$\Gamma_3 \quad \Lambda K$	1–3 %

***N*(2250) BRANCHING RATIOS**

$\Gamma(N\pi)/\Gamma_{\text{total}}$	Γ_1/Γ			
VALUE (%)	DOCUMENT ID	TECN	COMMENT	
5–15 % OUR ESTIMATE				
8.5 ± 0.4	¹ HUNT	19	DPWA	Multichannel
12 ± 4	ANISOVICH	12A	DPWA	Multichannel
8.9 ± 0.1	¹ ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
10 ± 2	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
10 ± 2	HOEHLER	79	IPWA	$\pi N \rightarrow \pi N$
¹ Statistical error only.				
$\Gamma(N\eta)/\Gamma_{\text{total}}$	Γ_2/Γ			
VALUE (%)	DOCUMENT ID	TECN	COMMENT	
<5 % OUR ESTIMATE				
<5	¹ HUNT	19	DPWA	Multichannel
¹ Statistical error only.				
$\Gamma(\Lambda K)/\Gamma_{\text{total}}$	Γ_3/Γ			
VALUE (%)	DOCUMENT ID	TECN	COMMENT	
1–3 % OUR ESTIMATE				
2.0 ± 0.6	¹ HUNT	19	DPWA	Multichannel
¹ Statistical error only.				

$N(2250)$ PHOTON DECAY AMPLITUDES AT THE POLE

$N(2250) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

<i>MODULUS</i> ($\text{GeV}^{-1/2}$)	<i>PHASE</i> ($^\circ$)	<i>DOCUMENT ID</i>	<i>TECN</i>	<i>COMMENT</i>
-0.108 ± 0.007	112 ± 4	ROENCHEN	22	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.026	-26	ROENCHEN	15A	DPWA Multichannel

$N(2250) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

<i>MODULUS</i> ($\text{GeV}^{-1/2}$)	<i>PHASE</i> ($^\circ$)	<i>DOCUMENT ID</i>	<i>TECN</i>	<i>COMMENT</i>
0.050 ± 0.011	69 ± 8	ROENCHEN	22	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.119	-42	ROENCHEN	15A	DPWA Multichannel

$N(2250)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES

$N(2250) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

<i>VALUE</i> ($\text{GeV}^{-1/2}$)	<i>DOCUMENT ID</i>	<i>TECN</i>	<i>COMMENT</i>
0.0006 ± 0.0037	¹ HUNT	19	DPWA Multichannel
¹ Statistical error only.			

$N(2250) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

<i>VALUE</i> ($\text{GeV}^{-1/2}$)	<i>DOCUMENT ID</i>	<i>TECN</i>	<i>COMMENT</i>
0.013 ± 0.004	¹ HUNT	19	DPWA Multichannel
¹ Statistical error only.			

$N(2250)$ REFERENCES

ROENCHEN	22	EPJ A58 229	D. Roenchen <i>et al.</i>	(JULI, GWU, BONN+)
AFZAL	20	PRL 125 152002	F. Afzal <i>et al.</i>	(CBELSA/TAPS Collab.)
HUNT	19	PR C99 055205	B.C. Hunt, D.M. Manley	
ROENCHEN	15A	EPJ A51 70	D. Roenchen <i>et al.</i>	
PDG	14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
HOEHLER	93	πN Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP