

$f_0(1500)$

$$I^G(J^{PC}) = 0^+(0^{++})$$

See the review on "Spectroscopy of Light Meson Resonances."

 $f_0(1500)$ T-MATRIX POLE $\sqrt{s}$ Note that $\Gamma = -2 \operatorname{Im}(\sqrt{s})$.

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
(1430–1530) – i (40–90) OUR ESTIMATE			
$(1450 \pm 10) - i(53 \pm 8)$	¹ RODAS	22	RVUE $J/\psi(1S) \rightarrow \gamma(\pi\pi, K\bar{K})$
$(1483 \pm 15) - i(58 \pm 6)$	SARANTSEV	21	RVUE $J/\psi(1S) \rightarrow \gamma(\pi\pi, K\bar{K}, \eta\eta, \omega\phi)$
$(1496 \pm 1.2^{+4.4}_{-26.4}) - i(40.4 \pm 0.3^{+10.0}_{-2.5})$	² ALBRECHT	20	RVUE $0.9 \bar{p}p \rightarrow \pi^0\pi^0\eta, \pi^0\eta\eta, \pi^0K^+K^-$
$(1465 \pm 18) - i(50 \pm 9)$	³ ROPERTZ	18	RVUE $\bar{B}_s^0 \rightarrow J/\psi(\pi^+\pi^-/K^+K^-)$
$(1486 \pm 10) - i(57 \pm 5)$	ANISOVICH	09	RVUE $0.0 \bar{p}p, \pi N$
$(1489^{+8}_{-4}) - i(51 \pm 5)$	⁴ ANISOVICH	03	RVUE
$(1515 \pm 12) - i(55 \pm 12)$	BARBERIS	00A	$450 \bar{p}p \rightarrow p_f(\eta\eta', \eta'\eta')p_s$
$(1511 \pm 9) - i(51 \pm 9)$	⁵ BARBERIS	00C	$450 \bar{p}p \rightarrow p_f 4\pi p_s$
$(1510 \pm 8) - i(55 \pm 8)$	BARBERIS	00E	$450 \bar{p}p \rightarrow p_f \eta\eta p_s$
$(1502 \pm 12 \pm 10) - i(49 \pm 9 \pm 8)$	⁶ BARBERIS	99D	OMEG $450 \bar{p}p \rightarrow K^+K^-, \pi^+\pi^-$
$(1447 \pm 27) - i(54 \pm 23)$	⁷ KAMINSKI	99	RVUE $\pi\pi \rightarrow \pi\pi, K\bar{K}, \sigma\sigma$
$(1499 \pm 8) - i(65 \pm 10)$	ANISOVICH	98B	RVUE Compilation.
$(1510 \pm 20) - i(60 \pm 18)$	BARBERIS	97B	OMEG $450 \bar{p}p \rightarrow p\bar{p}2(\pi^+\pi^-)$
$(1449 \pm 20) - i(57 \pm 15)$	BERTIN	97C	OBLX $0.0 \bar{p}p \rightarrow \pi^+\pi^-\pi^0$
$(1515 \pm 20) - i(53 \pm 8)$	ABELE	96B	CBAR $0.0 \bar{p}p \rightarrow \pi^0 K_L^0 K_L^0$
$(1500 \pm 8) - i(66 \pm 8)$	ABELE	96C	RVUE Compilation.
$(1500 \pm 10) - i(77 \pm 15)$	⁸ AMSLER	95D	CBAR $0.0 \bar{p}p \rightarrow \pi^0\pi^0\pi^0, \pi^0\eta\eta, \pi^0\pi^0\eta$
$(1520 \pm 25) - i(74^{+10}_{-13})$	⁹ ANISOVICH	94	CBAR $0.0 \bar{p}p \rightarrow 3\pi^0, \pi^0\eta\eta$
$(1505 \pm 20) - i(75 \pm 10)$	¹⁰ BUGG	94	RVUE $\bar{p}p \rightarrow 3\pi^0, \eta\eta\pi^0, \eta\pi^0\pi^0$

¹ T-matrix pole from coupled channel K-matrix fit to data on $J/\psi \rightarrow \gamma\pi^0\pi^0$ (ABLIKIM 15AE) and $J/\psi \rightarrow \gamma K_S^0 K_S^0$ (ABLIKIM 18AA).² T-matrix pole, 5 poles, 5 channels, including scattering data from HYAMS 75 ($\pi\pi$), LONGACRE 86 ($K\bar{K}$), BINON 83 ($\eta\eta$), and BINON 84C ($\eta\eta'$).³ T-matrix pole of 3 channel unitary model fit to data from AAIJ 14BR and AAIJ 17V extracted using Pade approximants.⁴ Pole position from combined analysis of $\pi^-p \rightarrow \pi^0\pi^0n$, $\pi^-p \rightarrow K\bar{K}n$, $\pi^+\pi^- \rightarrow \pi^+\pi^-$, $\bar{p}p \rightarrow \pi^0\pi^0\pi^0$, $\pi^0\eta\eta$, $\pi^0\pi^0\eta$, $\pi^+\pi^-\pi^0$, $K^+K^-\pi^0$, $K_S^0 K_S^0 \pi^0$, $K^+K_S^0 \pi^-$ at rest, $\bar{p}n \rightarrow \pi^-\pi^-\pi^+$, $K_S^0 K^- \pi^0$, $K_S^0 K_S^0 \pi^-$ at rest.⁵ Average between $\pi^+\pi^-\pi^0$ and $2(\pi^+\pi^-)$.⁶ Supersedes BARBERIS 99 and BARBERIS 99B.

⁷ T-matrix pole on sheet $- - +$.⁸ Coupled-channel analysis of AMSLER 95B, AMSLER 95C, and AMSLER 94D.⁹ From a simultaneous analysis of the annihilations $\bar{p}p \rightarrow 3\pi^0, \pi^0\eta\eta$.¹⁰ Reanalysis of ANISOVICH 94 data. **$f_0(1500)$ MASS**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
1522 ± 25		¹ BERTIN	98 OBLX	0.05–0.405 $\bar{p}p \rightarrow \pi^+\pi^+\pi^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1492.5 ± 3.6 $^{+2.4}_{-20.5}$		² ABLIKIM	22G BES3	$J/\psi \rightarrow \gamma\pi^+\pi^-\eta'$
1447 ± 16 ± 13	163	^{3,4} DOBBS	15	$J/\psi \rightarrow \gamma\pi^+\pi^-$
1442 ± 9 ± 4	261	^{3,4} DOBBS	15	$\psi(2S) \rightarrow \gamma\pi^+\pi^-$
1460.9 ± 2.9		⁵ AAIJ	14BR LHCb	$\bar{B}_s^0 \rightarrow J/\psi\pi^+\pi^-$
1468 $^{+14}_{-15}$ $^{+23}_{-74}$	5.5k	⁶ ABLIKIM	13N BES3	$e^+e^- \rightarrow J/\psi \rightarrow \gamma\eta\eta$
1470 ± 60	568	⁷ KLEMP	08 E791	$D_s^+ \rightarrow \pi^-\pi^+\pi^+$
1470 $^{+6}_{-7}$ $^{+72}_{-255}$		⁸ UEHARA	08A BELL	10.6 $e^+e^- \rightarrow e^+e^-\pi^0\pi^0$
1466 ± 6 ± 20		⁹ ABLIKIM	06V BES2	$e^+e^- \rightarrow J/\psi \rightarrow \gamma\pi^+\pi^-$
1495 ± 4		AMSLER	06 CBAR	0.9 $\bar{p}p \rightarrow K^+K^-\pi^0$
1539 ± 20	9.9k	AUBERT	06O BABR	$B^+ \rightarrow K^+K^+K^-$
1473 ± 5	80k	^{9,10} UMAN	06 E835	5.2 $\bar{p}p \rightarrow \eta\eta\pi^0$
1478 ± 6		VLADIMIRSK...	06 SPEC	40 $\pi^-p \rightarrow K_S^0 K_S^0 n$
1493 ± 7		⁹ BINON	05 GAMS	33 $\pi^-p \rightarrow \eta\eta n$
1524 ± 14	1400	¹¹ GARMASH	05 BELL	$B^+ \rightarrow K^+K^+K^-$
1490 ± 30		⁹ ABELE	01 CBAR	0.0 $\bar{p}d \rightarrow \pi^-4\pi^0 p$
1497 ± 10		⁹ BARBERIS	99 OMEG	450 $pp \rightarrow p_S p_f K^+K^-$
1502 ± 10		⁹ BARBERIS	99B OMEG	450 $pp \rightarrow p_S p_f \pi^+\pi^-$
1530 ± 45		⁹ BELLAZZINI	99 GAM4	450 $pp \rightarrow pp\pi^0\pi^0$
1505 ± 18		⁹ FRENCH	99	300 $pp \rightarrow p_f(K^+K^-)p_S$
1580 ± 80		⁹ ALDE	98 GAM4	100 $\pi^-p \rightarrow \pi^0\pi^0 n$
~ 1520		REYES	98 SPEC	800 $pp \rightarrow p_S p_f K_S^0 K_S^0$
~ 1475		FRABETTI	97D E687	$D_s^\pm \rightarrow \pi^\mp \pi^\pm \pi^\pm$
~ 1505		ABELE	96 CBAR	0.0 $\bar{p}p \rightarrow 5\pi^0$
1460 ± 20	120	⁹ AMELIN	96B VES	37 $\pi^-A \rightarrow \eta\eta\pi^-A$
1500 ± 8		BUGG	96 RVUE	
1500 ± 15		¹² AMSLER	95B CBAR	0.0 $\bar{p}p \rightarrow 3\pi^0$
1505 ± 15		¹³ AMSLER	95C CBAR	0.0 $\bar{p}p \rightarrow \eta\eta\pi^0$
1445 ± 5		¹⁴ ANTINORI	95 OMEG	300,450 $pp \rightarrow pp2(\pi^+\pi^-)$
1497 ± 30		⁹ ANTINORI	95 OMEG	300,450 $pp \rightarrow pp\pi^+\pi^-$
~ 1505		BUGG	95 MRK3	$J/\psi \rightarrow \gamma\pi^+\pi^-\pi^+\pi^-$

1446 ± 5		⁹ ABATZIS	94	OMEG	450 $pp \rightarrow pp2(\pi^+\pi^-)$
1545 ± 25		⁹ AMSLER	94E	CBAR	0.0 $\bar{p}p \rightarrow \pi^0 \eta \eta'$
1560 ± 25		⁹ AMSLER	92	CBAR	0.0 $\bar{p}p \rightarrow \pi^0 \eta \eta$
1550 $\pm 45 \pm 30$		⁹ BELADIDZE	92C	VES	36 $\pi^- \text{Be} \rightarrow \pi^- \eta' \eta \text{Be}$
1449 ± 4		⁹ ARMSTRONG	89E	OMEG	300 $pp \rightarrow pp2(\pi^+\pi^-)$
1610 ± 20		⁹ ALDE	88	GAM4	300 $\pi^- N \rightarrow \pi^- N 2\eta$
~ 1525		ASTON	88D	LASS	11 $K^- p \rightarrow K_S^0 K_S^0 \Lambda$
1570 ± 20	600	⁹ ALDE	87	GAM4	100 $\pi^- p \rightarrow 4\pi^0 n$
1575 ± 45		¹⁵ ALDE	86D	GAM4	100 $\pi^- p \rightarrow 2\eta n$
1568 ± 33		⁹ BINON	84C	GAM2	38 $\pi^- p \rightarrow \eta \eta' n$
1592 ± 25		⁹ BINON	83	GAM2	38 $\pi^- p \rightarrow 2\eta n$
1525 ± 5		⁹ GRAY	83	DBC	0.0 $\bar{p}N \rightarrow 3\pi$

¹ Breit-Wigner mass.² The $\pi^+\pi^-$ mass spectrum is described by a coherent sum of two Breit-Wigner resonances, $f_0(1500)$ and a new $X(1540)$ with mass $1540.2 \pm 7.0^{+36.3}_{-6.1}$ MeV and width $157 \pm 19^{+11}_{-77}$ MeV.³ Using CLEO-c data but not authored by the CLEO Collaboration.⁴ From a fit to a Breit-Wigner line shape with fixed $\Gamma = 109$ MeV.⁵ Solution I, statistical error only.⁶ From partial wave analysis including all possible combinations of 0^{++} , 2^{++} , and 4^{++} resonances.⁷ Reanalysis of AITALA 01A data. This state could also be $f_0(1370)$.⁸ Breit-Wigner mass. May also be the $f_0(1370)$.⁹ Breit-Wigner mass.¹⁰ Statistical error only.¹¹ Breit-Wigner, solution 1, PWA ambiguous.¹² T-matrix pole, supersedes ANISOVICH 94.¹³ T-matrix pole, supersedes ANISOVICH 94 and AMSLER 92.¹⁴ Supersedes ABATZIS 94, ARMSTRONG 89E. Breit-Wigner mass.¹⁵ From central value and spread of two solutions. Breit-Wigner mass.

$f_0(1500)$ WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
108 $\pm$ 33		¹ BERTIN	98	OBLX 0.05–0.405 $\bar{p}p \rightarrow \pi^+\pi^+\pi^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
107 $\pm$ 9^{+21}_{-7}		² ABLIKIM	22G	BES3 $J/\psi \rightarrow \gamma \pi^+\pi^-\eta'$
124 $\pm$ 7		³ AAIJ	14BR	LHCB $\bar{B}_s^0 \rightarrow J/\psi \pi^+\pi^-$
136 $^{+41}_{-26} \pm 28$ 26–100	5.5k	⁴ ABLIKIM	13N	BES3 $e^+e^- \rightarrow J/\psi \rightarrow \gamma \eta \eta$
90 $^{+2}_{-1} \pm 50$ 1–22		⁵ UEHARA	08A	BELL 10.6 $e^+e^- \rightarrow e^+e^-\pi^0\pi^0$
108 $^{+14}_{-11} \pm 25$		⁶ ABLIKIM	06V	BES2 $e^+e^- \rightarrow J/\psi \rightarrow \gamma \pi^+\pi^-$
121 $\pm$ 8		AMSLER	06	CBAR 0.9 $\bar{p}p \rightarrow K^+K^-\pi^0$
257 $\pm$ 33	9.9k	AUBERT	06O	BABR $B^+ \rightarrow K^+K^+K^-$
108 $\pm$ 9	80k	^{6,7} UMAN	06	E835 5.2 $\bar{p}p \rightarrow \eta \eta \pi^0$
119 $\pm$ 10		VLADIMIRSK...	06	SPEC 40 $\pi^- p \rightarrow K_S^0 K_S^0 n$

90 ± 15		⁶ BINON	05	GAMS	33 $\pi^- p \rightarrow \eta \eta n$
136 ± 23	1400	⁸ GARMASH	05	BELL	$B^+ \rightarrow K^+ K^+ K^-$
140 ± 40		⁶ ABELE	01	CBAR	0.0 $\bar{p} d \rightarrow \pi^- 4\pi^0 p$
104 ± 25		⁶ BARBERIS	99	OMEG	450 $pp \rightarrow p_s p_f K^+ K^-$
131 ± 15		⁶ BARBERIS	99B	OMEG	450 $pp \rightarrow p_s p_f \pi^+ \pi^-$
160 ± 50		⁶ BELLAZZINI	99	GAM4	450 $pp \rightarrow pp\pi^0\pi^0$
100 ± 33		⁶ FRENCH	99		300 $pp \rightarrow$ $p_f(K^+ K^-) p_s$
280 ± 100		⁶ ALDE	98	GAM4	100 $\pi^- p \rightarrow \pi^0\pi^0 n$
~ 100		FRABETTI	97D	E687	$D_s^\pm \rightarrow \pi^\mp \pi^\pm \pi^\pm$
~ 169		ABELE	96	CBAR	0.0 $\bar{p} p \rightarrow 5\pi^0$
100 ± 30	120	⁶ AMELIN	96B	VES	37 $\pi^- A \rightarrow \eta \eta \pi^- A$
132 ± 15		BUGG	96	RVUE	
120 ± 25		⁹ AMSLER	95B	CBAR	0.0 $\bar{p} p \rightarrow 3\pi^0$
120 ± 30		¹⁰ AMSLER	95C	CBAR	0.0 $\bar{p} p \rightarrow \eta \eta \pi^0$
65 ± 10		¹¹ ANTINORI	95	OMEG	300,450 $pp \rightarrow$ $pp2(\pi^+ \pi^-)$
199 ± 30		⁶ ANTINORI	95	OMEG	300,450 $pp \rightarrow$ $pp\pi^+ \pi^-$
56 ± 12		⁶ ABATZIS	94	OMEG	450 $pp \rightarrow pp2(\pi^+ \pi^-)$
100 ± 40		⁶ AMSLER	94E	CBAR	0.0 $\bar{p} p \rightarrow \pi^0 \eta \eta'$
245 ± 50		⁶ AMSLER	92	CBAR	0.0 $\bar{p} p \rightarrow \pi^0 \eta \eta$
153 ± 67 ± 50		⁶ BELADIDZE	92C	VES	36 $\pi^- \text{Be} \rightarrow \pi^- \eta' \eta \text{Be}$
78 ± 18		⁶ ARMSTRONG	89E	OMEG	300 $pp \rightarrow pp2(\pi^+ \pi^-)$
170 ± 40		⁶ ALDE	88	GAM4	300 $\pi^- N \rightarrow \pi^- N 2\eta$
150 ± 20	600	⁶ ALDE	87	GAM4	100 $\pi^- p \rightarrow 4\pi^0 n$
265 ± 65		¹² ALDE	86D	GAM4	100 $\pi^- p \rightarrow 2\eta n$
260 ± 60		⁶ BINON	84C	GAM2	38 $\pi^- p \rightarrow \eta \eta' n$
210 ± 40		⁶ BINON	83	GAM2	38 $\pi^- p \rightarrow 2\eta n$
101 ± 13		⁶ GRAY	83	DBC	0.0 $\bar{p} N \rightarrow 3\pi$

¹ Breit-Wigner width.² The $\pi^+ \pi^-$ mass spectrum is described by a coherent sum of two Breit-Wigner resonances, $f_0(1500)$ and a new $X(1540)$ with mass $1540.2 \pm 7.0^{+36.3}_{-6.1}$ MeV and width $157 \pm 19^{+11}_{-77}$ MeV.³ Solution I, statistical error only.⁴ From partial wave analysis including all possible combinations of 0^{++} , 2^{++} , and 4^{++} resonances.⁵ Breit-Wigner width. May also be the $f_0(1370)$.⁶ Breit-Wigner width.⁷ Statistical error only.⁸ Breit-Wigner, solution 1, PWA ambiguous.⁹ T-matrix pole, supersedes ANISOVICH 94.¹⁰ T-matrix pole, supersedes ANISOVICH 94 and AMSLER 92.¹¹ Supersedes ABATZIS 94, ARMSTRONG 89E. Breit-Wigner mass.¹² From central value and spread of two solutions. Breit-Wigner mass.

$f_0(1500)$ DECAY MODES

	Mode	Fraction (Γ_i/Γ)	Scale factor
Γ_1	$\pi\pi$	$(34.5 \pm 2.2) \%$	1.2
Γ_2	$\pi^+\pi^-$	seen	
Γ_3	$2\pi^0$	seen	
Γ_4	4π	$(48.9 \pm 3.3) \%$	1.2
Γ_5	$4\pi^0$	seen	
Γ_6	$2\pi^+2\pi^-$	seen	
Γ_7	$2(\pi\pi)_S\text{-wave}$	seen	
Γ_8	$\rho\rho$	seen	
Γ_9	$\pi(1300)\pi$	seen	
Γ_{10}	$a_1(1260)\pi$	seen	
Γ_{11}	$\eta\eta$	$(6.0 \pm 0.9) \%$	1.1
Γ_{12}	$\eta\eta'(958)$	$(2.2 \pm 0.8) \%$	1.4
Γ_{13}	$K\bar{K}$	$(8.5 \pm 1.0) \%$	1.1
Γ_{14}	$\gamma\gamma$	not seen	

CONSTRAINED FIT INFORMATION

An overall fit to 6 branching ratios uses 10 measurements and one constraint to determine 5 parameters. The overall fit has a $\chi^2 = 5.6$ for 6 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta x_i \delta x_j \rangle / (\delta x_i \delta x_j)$, in percent, from the fit to the branching fractions, $x_i \equiv \Gamma_i/\Gamma_{\text{total}}$. The fit constrains the x_i whose labels appear in this array to sum to one.

x_4	-88			
x_{11}	27	-56		
x_{12}	3	-32	26	
x_{13}	43	-64	20	2
	x_1	x_4	x_{11}	x_{12}

$f_0(1500) \Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

$\Gamma(\pi\pi) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$		$\Gamma_1\Gamma_{14}/\Gamma$	
VALUE (eV)	CL%	DOCUMENT ID	TECN COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
$33^{+12+1809}_{-6-21}$		¹ UEHARA	08A BELL $10.6 e^+e^- \rightarrow e^+e^-\pi^0\pi^0$
not seen		ACCIARRI	01H L3 $\gamma\gamma \rightarrow K_S^0 K_S^0, E_{\text{cm}}^{ee} = 91, 183\text{--}209 \text{ GeV}$
<460	95	BARATE	00E ALEP $\gamma\gamma \rightarrow \pi^+\pi^-$
¹ May also be the $f_0(1370)$. Multiplied by us by 3 to obtain the $\pi\pi$ value.			

$f_0(1500)$ BRANCHING RATIOS **$\Gamma(\pi\pi)/\Gamma_{\text{total}}$** **$\Gamma_1/\Gamma$**

VALUE	DOCUMENT ID	TECN
-------	-------------	------

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.454 ± 0.104	BUGG	96 RVUE
-------------------	------	---------

 $\Gamma(\pi^+\pi^-)/\Gamma_{\text{total}}$ **Γ_2/Γ**

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

seen	BERTIN	98 OBLX	$0.05\text{--}0.405 \pi p \rightarrow \pi^+\pi^+\pi^-$
-------------	--------	---------	--

• • • We do not use the following data for averages, fits, limits, etc. • • •

possibly seen	FRABETTI	97D E687	$D_s^\pm \rightarrow \pi^\mp \pi^\pm \pi^\pm$
---------------	----------	----------	---

 $\Gamma(4\pi)/\Gamma(\pi\pi)$ **Γ_4/Γ_1**

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

 1.42 ± 0.18 OUR FIT Error includes scale factor of 1.2. **1.42 ± 0.18 OUR AVERAGE** Error includes scale factor of 1.2.

1.37 ± 0.16	BARBERIS	00D	$450 p p \rightarrow p_f 4\pi p_s$
-----------------	----------	-----	------------------------------------

2.1 ± 0.6	¹ AMSLER	98 RVUE
---------------	---------------------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

2.1 ± 0.2	² ANISOVICH	02D SPEC	Combined fit
---------------	------------------------	----------	--------------

3.4 ± 0.8	¹ ABELE	96 CBAR	$0.0 \bar{p} p \rightarrow 5\pi^0$
---------------	--------------------	---------	------------------------------------

¹Excluding $\rho\rho$ contribution to 4π .²From a combined K-matrix analysis of Crystal Barrel ($0. p \bar{p} \rightarrow \pi^0 \pi^0 \pi^0, \pi^0 \eta \eta, \pi^0 \pi^0 \eta$), GAMS ($\pi p \rightarrow \pi^0 \pi^0 n, \eta \eta n, \eta \eta' n$), and BNL ($\pi p \rightarrow K \bar{K} n$) data. **$\Gamma(2(\pi\pi)_{\text{S-wave}})/\Gamma(\pi\pi)$** **$\Gamma_7/\Gamma_1$**

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.42 ± 0.26	¹ ABELE	01 CBAR	$0.0 \bar{p} d \rightarrow \pi^- 4\pi^0 p$
-----------------	--------------------	---------	--

¹From the combined data of ABELE 96 and ABELE 96c. **$\Gamma(2(\pi\pi)_{\text{S-wave}})/\Gamma(4\pi)$** **$\Gamma_7/\Gamma_4$**

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.26 ± 0.07	ABELE	01B CBAR	$0.0 \bar{p} d \rightarrow 5\pi p$
-----------------	-------	----------	------------------------------------

 $\Gamma(\rho\rho)/\Gamma(4\pi)$ **Γ_8/Γ_4**

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.13 ± 0.08	ABELE	01B CBAR	$0.0 \bar{p} d \rightarrow 5\pi p$
-----------------	-------	----------	------------------------------------

 $\Gamma(\rho\rho)/\Gamma(2(\pi\pi)_{\text{S-wave}})$ **Γ_8/Γ_7**

VALUE	DOCUMENT ID	COMMENT
-------	-------------	---------

 2.87 ± 0.34 OUR AVERAGE Error includes scale factor of 1.1.

3.3 ± 0.5	BARBERIS	00C $450 p p \rightarrow p_f \pi^+ \pi^- 2\pi^0 p_s$
---------------	----------	--

2.6 ± 0.4	BARBERIS	00C $450 p p \rightarrow p_f 2(\pi^+ \pi^-) p_s$
---------------	----------	--

$\Gamma(\pi(1300)\pi)/\Gamma(4\pi)$ Γ_9/Γ_4

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.50 ± 0.25	ABELE	01B	CBAR $0.0 \bar{p}d \rightarrow 5\pi p$

 $\Gamma(a_1(1260)\pi)/\Gamma(4\pi)$ Γ_{10}/Γ_4

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.12 ± 0.05	ABELE	01B	CBAR $0.0 \bar{p}d \rightarrow 5\pi p$

 $\Gamma(\eta\eta)/\Gamma_{\text{total}}$ Γ_{11}/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
large	ALDE	88	GAM4 $300 \pi^- N \rightarrow \eta\eta\pi^- N$
large	BINON	83	GAM2 $38 \pi^- p \rightarrow 2\eta n$

 $\Gamma(\eta\eta)/\Gamma(\pi\pi)$ Γ_{11}/Γ_1

VALUE	DOCUMENT ID	TECN	COMMENT
0.173 ± 0.024 OUR FIT	Error includes scale factor of 1.1.		
0.175 ± 0.027 OUR AVERAGE			
0.18 ± 0.03	BARBERIS	00E	450 $pp \rightarrow p_f \eta\eta p_s$
0.157 ± 0.060	¹ AMSLER	95D	CBAR $0.0 \bar{p}p \rightarrow \pi^0 \pi^0 \pi^0, \pi^0 \eta\eta, \pi^0 \pi^0 \eta$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.080 ± 0.033	AMSLER	02	CBAR $0.9 \bar{p}p \rightarrow \pi^0 \eta\eta, \pi^0 \pi^0 \pi^0$
0.11 ± 0.03	² ANISOVICH	02D	SPEC Combined fit
0.078 ± 0.013	³ ABLE	96C	RVUE Compilation
0.230 ± 0.097	⁴ AMSLER	95C	CBAR $0.0 \bar{p}p \rightarrow \eta\eta\pi^0$

¹ Coupled-channel analysis of AMSLER 95B, AMSLER 95C, and AMSLER 94D.² From a combined K-matrix analysis of Crystal Barrel ($0. p\bar{p} \rightarrow \pi^0 \pi^0 \pi^0, \pi^0 \eta\eta, \pi^0 \pi^0 \eta$), GAMS ($\pi p \rightarrow \pi^0 \pi^0 n, \eta\eta n, \eta\eta' n$), and BNL ($\pi p \rightarrow K\bar{K}n$) data.³ 2π width determined to be 60 ± 12 MeV.⁴ Using AMSLER 95B ($3\pi^0$). $\Gamma(4\pi^0)/\Gamma(\eta\eta)$ Γ_5/Γ_{11}

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.8 ± 0.3	ALDE	87	GAM4 $100 \pi^- p \rightarrow 4\pi^0 n$

 $\Gamma(\eta\eta'(958))/\Gamma(\pi\pi)$ Γ_{12}/Γ_1

VALUE (units 10^{-2})	DOCUMENT ID	TECN	COMMENT
6.4 ± 2.2 OUR FIT	Error includes scale factor of 1.4.		
9.5 ± 2.6	BARBERIS	00A	450 $pp \rightarrow p_f \eta\eta p_s$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
$16.6^{+4.2}_{-4.0}$	¹ ABLIKIM	22AS	BES3 $J/\psi(1S) \rightarrow \gamma\eta\eta'$
0.5 ± 0.3	² ANISOVICH	02D	SPEC Combined fit

¹ From a Breit-Wigner fit involving 9 resonances and a resonating exotic $\eta_1(1855) \rightarrow \eta\eta'$ P-wave.² From a combined K-matrix analysis of Crystal Barrel ($0. p\bar{p} \rightarrow \pi^0 \pi^0 \pi^0, \pi^0 \eta\eta, \pi^0 \pi^0 \eta$), GAMS ($\pi p \rightarrow \pi^0 \pi^0 n, \eta\eta n, \eta\eta' n$), and BNL ($\pi p \rightarrow K\bar{K}n$) data.

$\Gamma(\eta\eta'(958))/\Gamma(\eta\eta)$ Γ_{12}/Γ_{11}

VALUE	DOCUMENT ID	TECN	COMMENT
0.37±0.13 OUR FIT	Error includes scale factor of 1.5.		
0.29±0.10	¹ AMSLER	95C	CBAR 0.0 $\bar{p}p \rightarrow \eta\eta\pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.05±0.03	² ANISOVICH	02D	SPEC Combined fit
0.84±0.23	ABELE	96C	RVUE Compilation
2.7 ±0.8	BINON	84C	GAM2 38 $\pi^- p \rightarrow \eta\eta' n$

¹ Using AMSLER 94E ($\eta\eta'\pi^0$).² From a combined K-matrix analysis of Crystal Barrel (0. $p\bar{p} \rightarrow \pi^0\pi^0\pi^0$, $\pi^0\eta\eta$, $\pi^0\pi^0\eta$), GAMS ($\pi p \rightarrow \pi^0\pi^0 n$, $\eta\eta n$, $\eta\eta' n$), and BNL ($\pi p \rightarrow K\bar{K}n$) data. $\Gamma(K\bar{K})/\Gamma_{\text{total}}$ Γ_{13}/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.044±0.021	BUGG	96	RVUE

 $\Gamma(K\bar{K})/\Gamma(\pi\pi)$ Γ_{13}/Γ_1

VALUE	DOCUMENT ID	TECN	COMMENT
0.246±0.025 OUR FIT			
0.236±0.026 OUR AVERAGE			
0.25 ±0.03	¹ BARGIOTTI	03	OBLX $\bar{p}p$
0.19 ±0.07	² ABELE	98	CBAR 0.0 $\bar{p}p \rightarrow K_L^0 K^\pm \pi^\mp$
0.20 ±0.08	³ ABELE	96B	CBAR 0.0 $\bar{p}p \rightarrow \pi^0 K_L^0 K_L^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.16 ±0.05	⁴ ANISOVICH	02D	SPEC Combined fit
0.33 ±0.03 ±0.07	BARBERIS	99D	OMEG 450 $pp \rightarrow K^+ K^-, \pi^+ \pi^-$

¹ Coupled channel analysis of $\pi^+ \pi^- \pi^0$, $K^+ K^- \pi^0$, and $K^\pm K_S^0 \pi^\mp$.² Using $\pi^0\pi^0$ from AMSLER 95B.³ Using AMSLER 95B ($3\pi^0$), AMSLER 94C ($2\pi^0\eta$) and SU(3).⁴ From a combined K-matrix analysis of Crystal Barrel (0. $p\bar{p} \rightarrow \pi^0\pi^0\pi^0$, $\pi^0\eta\eta$, $\pi^0\pi^0\eta$), GAMS ($\pi p \rightarrow \pi^0\pi^0 n$, $\eta\eta n$, $\eta\eta' n$), and BNL ($\pi p \rightarrow K\bar{K}n$) data. $\Gamma(K\bar{K})/\Gamma(\eta\eta)$ Γ_{13}/Γ_{11}

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
1.43±0.24 OUR FIT	Error includes scale factor of 1.1.			
1.85±0.41		BARBERIS	00E	450 $pp \rightarrow p_f \eta \eta p_s$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1.5 ±0.6		¹ ANISOVICH	02D	SPEC Combined fit
<0.4	90	² PROKOSHKIN	91	GAM4 300 $\pi^- p \rightarrow \pi^- p \eta \eta$
<0.6		³ BINON	83	GAM2 38 $\pi^- p \rightarrow 2\eta n$

¹ From a combined K-matrix analysis of Crystal Barrel (0. $p\bar{p} \rightarrow \pi^0\pi^0\pi^0$, $\pi^0\eta\eta$, $\pi^0\pi^0\eta$), GAMS ($\pi p \rightarrow \pi^0\pi^0 n$, $\eta\eta n$, $\eta\eta' n$), and BNL ($\pi p \rightarrow K\bar{K}n$) data.² Combining results of GAM4 with those of WA76 on $K\bar{K}$ central production.³ Using ETKIN 82B and COHEN 80.

$f_0(1500)$ REFERENCES

ABLIKIM	22AS	PR D106 072012	M. Ablikim <i>et al.</i>	(BESIII Collab.)
Also		PR D107 079901 (errat.)	M. Ablikim <i>et al.</i>	(BESIII Collab.)
ABLIKIM	22G	PRL 129 042001	M. Ablikim <i>et al.</i>	(BESIII Collab.)
RODAS	22	EPJ C82 80	A. Rodas <i>et al.</i>	(JPAC Collab.)
SARANTSEV	21	PL B816 136227	A.V. Sarantsev <i>et al.</i>	(BONN, PNPI)
ALBRECHT	20	EPJ C80 453	M. Albrecht <i>et al.</i>	(Crystal Barrel Collab.)
ABLIKIM	18AA	PR D98 072003	M. Ablikim <i>et al.</i>	(BESIII Collab.)
ROPERTZ	18	EPJ C78 1000	S. Ropertz, C. Hanhart, B. Kubis	(BONN, JULI)
AAIJ	17V	JHEP 1708 037	R. Aaij <i>et al.</i>	(LHCb Collab.)
ABLIKIM	15AE	PR D92 052003	M. Ablikim <i>et al.</i>	(BESIII Collab.)
DOBBS	15	PR D91 052006	S. Dobbs <i>et al.</i>	(NWES)
AAIJ	14BR	PR D89 092006	R. Aaij <i>et al.</i>	(LHCb Collab.)
ABLIKIM	13N	PR D87 092009	M. Ablikim <i>et al.</i>	(BESIII Collab.)
ANISOVICH	09	IJMP A24 2481	V.V. Anisovich, A.V. Sarantsev	(PNPI)
KLEMP	08	EPJ C55 39	E. Klempt, M. Matveev, A.V. Sarantsev	(BONN+)
UEHARA	08A	PR D78 052004	S. Uehara <i>et al.</i>	(BELLE Collab.)
ABLIKIM	06V	PL B642 441	M. Ablikim <i>et al.</i>	(BES Collab.)
AMSLER	06	PL B639 165	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AUBERT	06O	PR D74 032003	B. Aubert <i>et al.</i>	(BABAR Collab.)
UMAN	06	PR D73 052009	I. Uman <i>et al.</i>	(FNAL E835)
VLADIMIRSK...	06	PAN 69 493	V.V. Vladimirovsky <i>et al.</i>	(ITEP, Moscow)
		Translated from YAF 69 515.		
BINON	05	PAN 68 960	F. Binon <i>et al.</i>	
		Translated from YAF 68 998.		
GARMASH	05	PR D71 092003	A. Garmash <i>et al.</i>	(BELLE Collab.)
ANISOVICH	03	EPJ A16 229	V.V. Anisovich <i>et al.</i>	
BARGIOTTI	03	EPJ C26 371	M. Bargiotti <i>et al.</i>	(OBELIX Collab.)
AMSLER	02	EPJ C23 29	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
ANISOVICH	02D	PAN 65 1545	V.V. Anisovich <i>et al.</i>	
		Translated from YAF 65 1583.		
ABELE	01	EPJ C19 667	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ABELE	01B	EPJ C21 261	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ACCIARRI	01H	PL B501 173	M. Acciarri <i>et al.</i>	(L3 Collab.)
AITALA	01A	PRL 86 765	E.M. Aitala <i>et al.</i>	(FNAL E791 Collab.)
BARATE	00E	PL B472 189	R. Barate <i>et al.</i>	(ALEPH Collab.)
BARBERIS	00A	PL B471 429	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BARBERIS	00C	PL B471 440	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BARBERIS	00D	PL B474 423	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BARBERIS	00E	PL B479 59	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BARBERIS	99	PL B453 305	D. Barberis <i>et al.</i>	(Omega Expt.)
BARBERIS	99B	PL B453 316	D. Barberis <i>et al.</i>	(Omega Expt.)
BARBERIS	99D	PL B462 462	D. Barberis <i>et al.</i>	(Omega Expt.)
BELLAZZINI	99	PL B467 296	R. Bellazzini <i>et al.</i>	
FRENCH	99	PL B460 213	B. French <i>et al.</i>	(WA76 Collab.)
KAMINSKI	99	EPJ C9 141	R. Kaminski, L. Lesniak, B. Loiseau	(CRAC, PARIN)
ABELE	98	PR D57 3860	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ALDE	98	EPJ A3 361	D. Alde <i>et al.</i>	(GAM4 Collab.)
Also		PAN 62 405	D. Alde <i>et al.</i>	(GAMS Collab.)
		Translated from YAF 62 446.		
AMSLER	98	RMP 70 1293	C. Amsler	
ANISOVICH	98B	SPU 41 419	V.V. Anisovich <i>et al.</i>	
		Translated from UFN 168 481.		
BERTIN	98	PR D57 55	A. Bertin <i>et al.</i>	(OBELIX Collab.)
REYES	98	PRL 81 4079	M.A. Reyes <i>et al.</i>	
BARBERIS	97B	PL B413 217	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BERTIN	97C	PL B408 476	A. Bertin <i>et al.</i>	(OBELIX Collab.)
FRABETTI	97D	PL B407 79	P.L. Frabetti <i>et al.</i>	(FNAL E687 Collab.)
ABELE	96	PL B380 453	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ABELE	96B	PL B385 425	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ABELE	96C	NP A609 562	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
AMELIN	96B	PAN 59 976	D.V. Amelin <i>et al.</i>	(SERP, TBIL)
		Translated from YAF 59 1021.		
BUGG	96	NP B471 59	D.V. Bugg, A.V. Sarantsev, B.S. Zou	(LOQM, PNPI)
AMSLER	95B	PL B342 433	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	95C	PL B353 571	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	95D	PL B355 425	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
ANTINORI	95	PL B353 589	F. Antinori <i>et al.</i>	(ATHU, BARI, BIRM+)
BUGG	95	PL B353 378	D.V. Bugg <i>et al.</i>	(LOQM, PNPI, WASH)
ABATZIS	94	PL B324 509	S. Abatzis <i>et al.</i>	(ATHU, BARI, BIRM+)

AMSLER	94C	PL B327 425	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	94D	PL B333 277	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	94E	PL B340 259	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
ANISOVICH	94	PL B323 233	V.V. Anisovich <i>et al.</i>	(Crystal Barrel Collab.)
BUGG	94	PR D50 4412	D.V. Bugg <i>et al.</i>	(LOQM)
AMSLER	92	PL B291 347	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
BELADIDZE	92C	SJNP 55 1535	G.M. Beladidze, S.I. Bitukov, G.V. Borisov	(SERP+)
PROKOSHIN	91	Translated from YAF 55 2748. SPD 36 155	Y.D. Prokoshkin	(GAM2 and GAM4 Collab.)
ARMSTRONG	89E	Translated from DANS 316 900. PL B228 536	T.A. Armstrong, M. Benayoun	(ATHU, BARI, BIRM+)
ALDE	88	PL B201 160	D.M. Alde <i>et al.</i>	(SERP, BELG, LANL, LAPP+)
ASTON	88D	NP B301 525	D. Aston <i>et al.</i>	(SLAC, NAGO, CINC, INUS)
ALDE	87	PL B198 286	D.M. Alde <i>et al.</i>	(LANL, BRUX, SERP, LAPP)
ALDE	86D	NP B269 485	D.M. Alde <i>et al.</i>	(BELG, LAPP, SERP, CERN+)
LONGACRE	86	PL B177 223	R.S. Longacre <i>et al.</i>	(BNL, BRAN, CUNY+)
BINON	84C	NC 80A 363	F.G. Binon <i>et al.</i>	(BELG, LAPP, SERP+)
BINON	83	NC 78A 313	F.G. Binon <i>et al.</i>	(BELG, LAPP, SERP+)
Also		SJNP 38 561	F.G. Binon <i>et al.</i>	(BELG, LAPP, SERP+)
GRAY	83	Translated from YAF 38 934. PR D27 307	L. Gray <i>et al.</i>	(SYRA)
ETKIN	82B	PR D25 1786	A. Etkin <i>et al.</i>	(BNL, CUNY, TUFTS, VAND)
COHEN	80	PR D22 2595	D. Cohen <i>et al.</i>	(ANL)
HYAMS	75	NP B100 205	B.D. Hyams <i>et al.</i>	(CERN, MPIM)