


$\pi(1800)$

$$I^G(J^{PC}) = 1^-(0^{-+})$$

See the review on "Spectroscopy of Light Meson Resonances."

$\pi(1800)$ MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
1810^{+9}_{-11}	OUR AVERAGE Error includes scale factor of 2.2. See the ideogram below.				
1804^{+6}_{-9}	46M	¹ AGHASYAN	18B	COMP	190 $\pi^- p \rightarrow \pi^- \pi^+ \pi^- p$
$1876 \pm 18 \pm 16$	4k	² EUGENIO	08	B852	— 18 $\pi^- p \rightarrow \eta \eta \pi^- p$
$1774 \pm 18 \pm 20$		³ CHUNG	02	B852	18.3 $\pi^- p \rightarrow \pi^+ \pi^- \pi^- p$
$1863 \pm 9 \pm 10$		⁴ CHUNG	02	B852	18.3 $\pi^- p \rightarrow \pi^+ \pi^- \pi^- p$
$1840 \pm 10 \pm 10$	1.2k	AMELIN	96B	VES	— 37 $\pi^- A \rightarrow \eta \eta \pi^- A$
$1775 \pm 7 \pm 10$		⁵ AMELIN	95B	VES	— 36 $\pi^- A \rightarrow \pi^+ \pi^- \pi^- A$
1790 ± 14		⁶ BERDNIKOV	94	VES	— 37 $\pi^- A \rightarrow K^+ K^- \pi^- A$
$1873 \pm 33 \pm 20$		BELADIDZE	92C	VES	— 36 $\pi^- \text{Be} \rightarrow \pi^- \eta' \eta \text{Be}$
$1814 \pm 10 \pm 23$	426	BITYUKOV	91	VES	— 36 $\pi^- \text{C} \rightarrow \pi^- \eta \eta \text{C}$
1770 ± 30	1.1k	BELLINI	82	SPEC	— 40 $\pi^- A \rightarrow 3 \pi A$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
$1785 \pm 9^{+12}_{-6}$	420k	⁷ ALEKSEEV	10	COMP	190 $\pi^- Pb \rightarrow \pi^- \pi^- \pi^+ Pb'$
$1737 \pm 5 \pm 15$		AMELIN	99	VES	37 $\pi^- A \rightarrow \omega \pi^- \pi^0 A^*$



¹ Statistical error negligible.² From a single-pole fit.³ In the $f_0(980)\pi$ wave.⁴ In the $f_0(500)\pi$ wave.⁵ From a fit to $J^{PC} = 0^{-+} f_0(980)\pi, f_0(1370)\pi$ waves.⁶ From a fit to $J^{PC} = 0^{-+} K_0^*(1430)K^-$ and $f_0(980)\pi^-$ waves.⁷ Superseded by AGHASYAN 2018B. **$\pi(1800)$ WIDTH**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
215^{+8}_{-8} OUR AVERAGE					
220^{+8}_{-11}	46M	⁸ AGHASYAN	18B	COMP	$190 \pi^- p \rightarrow \pi^- \pi^+ \pi^- p$
$221 \pm 26 \pm 38$	4k	⁹ EUGENIO	08	B852	— $18 \pi^- p \rightarrow \eta \eta \pi^- p$
$223 \pm 48 \pm 50$		¹⁰ CHUNG	02	B852	$18.3 \pi^- p \rightarrow$ $\pi^+ \pi^- \pi^- p$
$191 \pm 21 \pm 20$		¹¹ CHUNG	02	B852	$18.3 \pi^- p \rightarrow$ $\pi^+ \pi^- \pi^- p$
$210 \pm 30 \pm 30$	1.2k	AMELIN	96B	VES	— $37 \pi^- A \rightarrow \eta \eta \pi^- A$
$190 \pm 15 \pm 15$		¹² AMELIN	95B	VES	— $36 \pi^- A \rightarrow \pi^+ \pi^- \pi^- A$
210 ± 70		¹³ BERDNIKOV	94	VES	— $37 \pi^- A \rightarrow K^+ K^- \pi^- A$
$225 \pm 35 \pm 20$		BELADIDZE	92C	VES	— $36 \pi^- \text{Be} \rightarrow \pi^- \eta' \eta \text{Be}$
$205 \pm 18 \pm 32$	426	BITYUKOV	91	VES	— $36 \pi^- \text{C} \rightarrow \pi^- \eta \eta \text{C}$
310 ± 50	1.1k	BELLINI	82	SPEC	— $40 \pi^- A \rightarrow 3\pi A$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
$208 \pm 22^{+21}_{-37}$	420k	¹⁴ ALEKSEEV	10	COMP	$190 \pi^- Pb \rightarrow$ $\pi^- \pi^- \pi^+ Pb'$
$259 \pm 19 \pm 6$		AMELIN	99	VES	$37 \pi^- A \rightarrow \omega \pi^- \pi^0 A^*$

⁸ Statistical error negligible.⁹ From a single-pole fit.¹⁰ In the $f_0(980)\pi$ wave.¹¹ In the $f_0(500)\pi$ wave.¹² From a fit to $J^{PC} = 0^{-+} f_0(980)\pi, f_0(1370)\pi$ waves.¹³ From a fit to $J^{PC} = 0^{-+} K_0^*(1430)K^-$ and $f_0(980)\pi^-$ waves.¹⁴ Superseded by AGHASYAN 2018B. **$\pi(1800)$ DECAY MODES**

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 \quad \pi^+ \pi^- \pi^-$	seen
$\Gamma_2 \quad f_0(500)\pi^-$	seen
$\Gamma_3 \quad f_0(980)\pi^-$	seen
$\Gamma_4 \quad f_0(1370)\pi^-$	seen
$\Gamma_5 \quad f_0(1500)\pi^-$	not seen
$\Gamma_6 \quad \rho \pi^-$	not seen
$\Gamma_7 \quad \eta \eta \pi^-$	seen

Γ_8	$a_0(980)\eta$	seen
Γ_9	$a_2(1320)\eta$	not seen
Γ_{10}	$f_2(1270)\pi$	not seen
Γ_{11}	$f_0(1370)\pi^-$	not seen
Γ_{12}	$f_0(1500)\pi^-$	seen
Γ_{13}	$\eta\eta'(958)\pi^-$	seen
Γ_{14}	$K_0^*(1430)K^-$	seen
Γ_{15}	$K^*(892)K^-$	not seen

$\pi(1800)$ BRANCHING RATIOS

$\Gamma(f_0(980)\pi^-)/\Gamma(f_0(500)\pi^-)$ Γ_3/Γ_2

VALUE	DOCUMENT ID	TECN	CHG	COMMENT
0.44$\pm$0.08$\pm$0.38	¹⁵ CHUNG	02	B852	18.3 $\pi^- p \rightarrow \pi^+ \pi^- \pi^- p$

$\Gamma(f_0(980)\pi^-)/\Gamma(f_0(1370)\pi^-)$ Γ_3/Γ_4

VALUE	DOCUMENT ID	TECN	CHG	COMMENT
-------	-------------	------	-----	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.7 $\pm$ 1.3	¹⁶ AMELIN	95B	VES	—	36 $\pi^- A \rightarrow \pi^+ \pi^- \pi^- A$
---------------	----------------------	-----	-----	---	--

$\Gamma(f_0(1370)\pi^-)/\Gamma_{\text{total}}$ Γ_4/Γ

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>	
seen	BELLINI	82	SPEC	—	40 $\pi^- A \rightarrow 3\pi A$

$\Gamma(f_0(1500)\pi^-)/\Gamma_{\text{total}}$ Γ_5/Γ

VALUE	DOCUMENT ID	TECN	CHG	COMMENT
not seen	CHUNG	02	B852	18.3 $\pi^- p \rightarrow \pi^+ \pi^- \pi^- p$

$\Gamma(\rho\pi^-)/\Gamma_{\text{total}}$ Γ_6/Γ

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
not seen	BELLINI	82	SPEC	—
				40 $\pi^- A \rightarrow 3\pi A$

$\Gamma(\rho\pi^-)/\Gamma(f_0(980)\pi^-)$ Γ_6/Γ_3

VALUE	CL%	DOCUMENT ID	TECN	CHG	COMMENT
-------	-----	-------------	------	-----	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.25		CHUNG	02	B852		18.3 $\pi^- p \rightarrow \pi^+ \pi^- \pi^- p$
<0.14	90	AMELIN	95B	VES	—	36 $\pi^- A \rightarrow \pi^+ \pi^- \pi^- A$

$\Gamma(\eta\eta\pi^-)/\Gamma(\pi^+\pi^-\pi^-)$ Γ_7/Γ_1

VALUE	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
-------	------	-------------	------	-----	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.5 $\pm$ 0.1	1200	¹⁶ AMELIN	96B	VES	—	37 $\pi^- A \rightarrow \eta\eta\pi^- A$
---------------	------	----------------------	-----	-----	---	--

$\Gamma(a_2(1320)\eta)/\Gamma_{\text{total}}$ Γ_9/Γ

VALUE	DOCUMENT ID	TECN	CHG	COMMENT
not seen	EUGENIO	08	B852	18 $\pi^- p \rightarrow \eta\eta\pi^- p$

$\Gamma(f_2(1270)\pi)/\Gamma_{\text{total}}$ Γ_{10}/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
not seen	EUGENIO 08	B852	$18 \pi^- p \rightarrow \eta\eta\pi^- p$

 $\Gamma(f_0(1370)\pi^-)/\Gamma_{\text{total}}$ Γ_{11}/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
not seen	EUGENIO 08	B852	$18 \pi^- p \rightarrow \eta\eta\pi^- p$

 $\Gamma(f_0(1500)\pi^-)/\Gamma(a_0(980)\eta)$ Γ_{12}/Γ_8

VALUE	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.48 ± 0.17	4k ^{16,17}	EUGENIO 08	B852	—	$18 \pi^- p \rightarrow \eta\eta\pi^- p$
$0.030^{+0.014}_{-0.011}$	¹⁶	ANISOVICH 01B	SPEC	0	$0.6\text{--}1.94 p\bar{p} \rightarrow \eta\eta\pi^0\pi^0$
0.08 ± 0.03	1200 ^{16,18}	AMELIN 96B	VES	—	$37 \pi^- A \rightarrow \eta\eta\pi^- A$

 $\Gamma(\eta\eta'(958)\pi^-)/\Gamma(\eta\eta\pi^-)$ Γ_{13}/Γ_7

VALUE	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.29 ± 0.07	¹⁶	BELADIDZE 92C	VES	—	$36 \pi^- \text{Be} \rightarrow \pi^- \eta' \eta \text{Be}$
0.3 ± 0.1	426 ± 57	¹⁶ BITYUKOV 91	VES	—	$36 \pi^- \text{C} \rightarrow \pi^- \eta\eta \text{C}$

 $\Gamma(K^*(1430)K^-)/\Gamma_{\text{total}}$ Γ_{14}/Γ

VALUE	DOCUMENT ID	TECN	CHG	COMMENT
seen	BERDNIKOV 94	VES	—	$37 \pi^- A \rightarrow K^+ K^- \pi^- A$

 $\Gamma(K^*(892)K^-)/\Gamma_{\text{total}}$ Γ_{15}/Γ

VALUE	DOCUMENT ID	TECN	CHG	COMMENT
not seen	BERDNIKOV 94	VES	—	$37 \pi^- A \rightarrow K^+ K^- \pi^- A$

¹⁵ Assuming that $f_0(980)$ decays only to $\pi\pi$.¹⁶ Systematic errors not estimated.¹⁷ From a single-pole fit.¹⁸ Assuming that $f_0(1500)$ decays only to $\eta\eta$ and $a_0(980)$ decays only to $\eta\pi$. **$\pi(1800)$ REFERENCES**

AGHASYAN 18B	PR D98 092003	M. Aghasyan <i>et al.</i>	(COMPASS Collab.)
ALEKSEEV 10	PRL 104 241803	M.G. Alekseev <i>et al.</i>	(COMPASS Collab.)
EUGENIO 08	PL B660 466	P. Eugenio <i>et al.</i>	(BNL E852 Collab.)
CHUNG 02	PR D65 072001	S.U. Chung <i>et al.</i>	(BNL E852 Collab.)
ANISOVICH 01B	PL B500 222	A.V. Anisovich <i>et al.</i>	
AMELIN 99	PAN 62 445	D.V. Amelin <i>et al.</i>	(VES Collab.)
AMELIN 96B	Translated from YAF 62 487.		
AMELIN 96B	PAN 59 976	D.V. Amelin <i>et al.</i>	(SERP, TBIL) IGJPC
AMELIN 95B	Translated from YAF 59 1021.		
AMELIN 94	PL B356 595	D.V. Amelin <i>et al.</i>	(SERP, TBIL)
BERDNIKOV 94	PL B337 219	E.B. Berdnikov <i>et al.</i>	(SERP, TBIL)
BELADIDZE 92C	SJNP 55 1535	G.M. Beladidze, S.I. Bityukov, G.V. Borisov	(SERP+)
Translated from YAF 55 2748.			
BITYUKOV 91	PL B268 137	S.I. Bityukov <i>et al.</i>	(SERP, TBIL)
BELLINI 82	PRL 48 1697	G. Bellini <i>et al.</i>	(MILA, BGNA, JINR)