$\pi_1(1600)$

$$I^{G}(J^{PC}) = 1^{-}(1^{-+})$$

Coupled channel analyses favor the existence of only one broad 1 $^{-+}$ isovector state consistent with $\pi_1(1600)$ in the 1400–1600 MeV region. Accordingly, the $\pi_1(1400)$ entries of the previous Reviews have been moved into this section. See the review on "Spectroscopy of Light Meson Resonances."

$\pi_1(1600)$ T-Matrix Pole \sqrt{s}

Note that $\Gamma = -2 \operatorname{Im}(\sqrt{s})$.

VALUE (MeV)	DOCUMENT ID		TECN	COMMENT
(1480-1680) - i (150-300) OUR	ESTIMATE			
$(1623 \pm 47^{+24}_{-75}) - i (228 \pm 47^{+72}_{-75})$	¹ KOPF	21	RVUE	$0.9 \ \rho \overline{\rho} \rightarrow \pi^0 \pi^0 \eta, \\ \pi^0 \eta \pi^0 \pi^0 K^+ K^-$
44 – 88)				and 191 $\pi^- p \rightarrow \pi^- \pi^- \pi^+ p$
$egin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	² RODAS	19	RVUE	$191 \pi^- p \rightarrow \eta^{(\prime)} \pi^- p$
• • We do not use the following	data for averages	fite	limite a	

ot use the following data for averages, fits, limits, etc. ullet ullet ullet

 $(1405 \pm 4^{+15}_{-18}) - i (314 \pm {}^{3} \text{ ALBRECHT} 20 \text{ RVUE } \overline{p}p \rightarrow \pi^{0}\pi^{0}\eta$ $14^{+18}_{-69})$

 1 From T-matrix pole based on combined fit of Crystal Barrel and $\pi\pi$ scattering data (ALBRECHT 20), and COMPASS data (ADOLPH 15), using a coupled-channel model of $\eta \pi$, $\eta' \pi$ and $K\overline{K}$ systems.

² The coupled-channel analysis of both the $\eta\pi$ and $\eta'\pi$ systems using ADOLPH 15 data. ³Superseded by KOPF 21.

$\pi_1(1600)$ MASS ($\eta\pi$ mode)

Not seen by PROKOSHKIN 95B, BUGG 94, APEL 81, BOUTEMEUR 90, and AGHASYAN 18B.

VALUE	(MeV)		EVTS	DOCUMENT ID		TECN	CHG	COMMENT
1354	±25	OUR	AVERAGE	Error includes sc	ale fac	tor of 1	.8. See	the ideogram below
1257	± 20	± 25	23.5k	ADAMS	07 B	B852		$18 \pi^{-} p \rightarrow \eta \pi^{0} n$
1384	± 20	± 35	90k	SALVINI	04	OBLX		$\overline{p}p \rightarrow 2\pi^+ 2\pi^-$
1360	± 25			ABELE	99	CBAR		$0.0 \ \overline{p} p \rightarrow \ \pi^0 \pi^0 \eta$
1400	± 20	± 20		ABELE	98 B	CBAR		$0.0 \ \overline{p} n \rightarrow \ \pi^{-} \pi^{0} \eta$
1370	± 16	$^{+50}_{-30}$		1 THOMPSON	97	MPS		18 $\pi^- p \rightarrow \eta \pi^- p$
• • •	We do	o not us	se the follow	ing data for avera	ges, fi	ts, limits	s, etc.	• • •
1323.3	1± 4.6	5		² AOYAGI	93	BKEI		$\pi^- p \rightarrow \eta \pi^- p$
1406	± 20			³ ALDE	88 B	GAM4	0	$100 \ \pi^- p \rightarrow \eta \pi^0 n$
1 N	1 Natural parity exchange, questioned by DZIERBA 03.							

² Unnatural parity exchange.

³Seen in the P_0 -wave intensity of the $\eta \pi^0$ system, unnatural parity exchange.

https://pdg.lbl.gov



² Natural parity exchange.

³Superseded by AGHASYAN 2018B.

⁴ May be a different state: natural and unnatural parity exchanges.

⁵ Superseded by DZIERBA 06 excluding this state in a more refined PWA analysis, with 2.6 M events of $\pi^- p \rightarrow \pi^- \pi^- \pi^+ p$ and 3 M events of $\pi^- p \rightarrow \pi^- \pi^0 \pi^0 p$ of E852 data.



π_1 (1600) WIDTH ($\eta\pi$ mode)

Not seen by PROKOSHKIN 95B, BUGG 94, APEL 81, BOUTEMEUR 90, and AGHASYAN 18B.

VALU	E (MeV)		EVTS	DOCUMENT ID)	TECN	CHG	COMMENT
330	±35	OL	JR /	WERAGE					
354	± 64	±	58	23.5k	ADAMS	07 B	B852		$18 \pi^- p \rightarrow \eta \pi^0 n$
378	± 50	\pm	50	90k	SALVINI	04	OBLX		$\overline{p}p \rightarrow 2\pi^+ 2\pi^-$
220	± 90				ABELE	99	CBAR		$0.0 \ \overline{p} p \rightarrow \ \pi^0 \pi^0 \eta$
310	± 50	+ -	50 30		ABELE	98 B	CBAR		$0.0 \ \overline{p} n \rightarrow \ \pi^{-} \pi^{0} \eta$
385	± 40	$^{+}_{-1}$	65 05		¹ THOMPSON	J 97	MPS		18 $\pi^- p \rightarrow \eta \pi^- p$
• • •	• We d	do no	ot u	se the follow	wing data for ave	rages, fi	ts, limits	s, etc.	• • •
143.2	2 ± 12.5	5			² AOYAGI	93	BKEI		$\pi^- p \rightarrow \eta \pi^- p$
180	± 20				³ ALDE	88 B	GAM4	0	$100 \ \pi^- p \rightarrow \ \eta \pi^0 n$
¹ F 2ເ 3ຣ	Resolut Jnnatu Seen in	ion i Iral p the	is no parit P ₀ -	ot unfolded, y exchange wave inten $\pi_1(1)$	natural parity ex sity of the $\eta \pi^0$ sy .600) WIDTH	change, /stem, ι (non-η	questio Innatura π mod	ned by I parity e)	DZIERBA 03. exchange.
VALU	E (MeV)		<u>EVTS</u>	DOCUMENT ID	TE	<u>CN CO</u>	MMENT	-
370 [_]	⊦ 50 (- 60 (OUR	AV	ERAGE					
580 ⁺ _	-100 -230			46M 1	AGHASYAN 1	L8B CC	MP 19	$0 \ \pi^- p$	$\rightarrow \pi^- \pi^+ \pi^- p$
http	s://p	dg.l	bl.g	gov	Page 3		Cre	eated:	5/30/2025 07:48

$403\pm$	$80\!\pm\!115$	69k	² KUHN	04	B852	18 $\pi^- p \rightarrow \eta \pi^+ \pi^- \pi^- p$	
$340\pm$	$40\pm~50$		² IVANOV	01	B852	18 $\pi^- p \rightarrow \eta' \pi^- p$	
• • •	We do not	use the fo	ollowing data for av	erage	s, fits, liı	mits, etc. ● ● ●	
$269\pm$	21^+_{-64}	420k	³ ALEKSEEV	10	COMP	190 $\pi^- Pb \rightarrow \pi^- \pi^- \pi^+ Pb'$	
$185\pm$	$25\pm~28$	145k	⁴ LU	05	B852	$18 \ \pi^- p \rightarrow \ \omega \pi^- \pi^0 p$	
$168\pm$	20^{+150}_{-12}		^{2,5} ADAMS	98 B	B852	$18.3 \ \pi^- p \rightarrow \ \pi^+ \pi^- \pi^- p$	
1 с.							

¹ Statistical error negligible. See also the review ALEXEEV 22. ² Natural parity exchange. ³ Superseded by AGHASYAN 2018B. ⁴ May be a different state: natural and unnatural parity exchanges. ⁵ Superseded by DZIERBA 06 excluding this state in a more refined PWA analysis, with 2.6 M events of $\pi^- p \rightarrow \pi^- \pi^- \pi^+ p$ and 3 M events of $\pi^- p \rightarrow \pi^- \pi^0 \pi^0 p$ of E852 data data.

$\pi_1(1600)$ DECAY MODES

	Mode	Fraction (Γ_i/Γ)
Γ ₁	$\pi\pi\pi$	seen
Г2	$ ho^{0}\pi^{-}$	seen
Γ ₃	$f_2(1270)\pi^-$	not seen
Г ₄	$b_1(1235)\pi$	seen
Γ ₅	$\eta^{\prime}(958)\pi^{-}$	seen
Г ₆	$\eta \pi$	seen
Г ₇	$f_1(1285)\pi$	seen

π_1 (1600) BRANCHING RATIOS

$\Gamma(ho^0 \pi^-)/\Gamma_{total}$				Γ2/Γ			
VALUE	DOCUMENT ID	TECN	COMMENT				
seen	ALEKSEEV	10 COMP	190 $\pi^{-}I$	$Pb \rightarrow \pi^- \pi^- \pi^+ Pb'$			
• • • We do not use t	ne following dat	a for averages	, fits, limit	s, etc. ● ● ●			
not seen	NOZAR	09 CLAS	$\gamma p \rightarrow 2^{-1}$	$\pi^+\pi^-n$			
not seen 1	DZIERBA	06 B852	18 $\pi^- p$				
1 From the PWA and $\pi^-\pi^0\pi^0p$ of E852	alysis of 2.6 M 2 data. Supersec	$\pi^- p o \pi^-$ les ADAMS 9	⁻ π π ⁺ р 8в.	and 3 M events of $\pi^- p \rightarrow$			
$\Gamma(f_2(1270)\pi^-)/\Gamma_{to}$	tal			Г ₃ /Г			
VALUE	<u>DOCU</u>	MENT ID	TECN	COMMENT			
not seen	¹ DZIE	RBA 06	B852	18 $\pi^- p$			
¹ From the PWA and $\pi^- \pi^0 \pi^0 p$ of E852	¹ From the PWA analysis of 2.6 M $\pi^- p \rightarrow \pi^- \pi^- \pi^+ p$ and 3 M events of $\pi^- p \rightarrow \pi^- \pi^0 \pi^0 p$ of E852 data. Supersedes CHUNG 02.						
$\Gamma(b_1(1235)\pi)/\Gamma_{\text{total}}$	al			Г ₄ /Г			
VALUE	<u>EVTS</u> <u>D</u>	OCUMENT ID	TECI	COMMENT			
seen	35280 ¹ В	AKER	03 SPE	$C \overline{p} p \rightarrow \omega \pi^+ \pi^- \pi^0$			
• • • We do not use t	he following dat	a for averages	, fits, limit	s, etc. ● ● ●			
seen	145k L	U	05 B85	$2 18 \ \pi^- p \rightarrow \ \omega \pi^- \pi^0 p$			
https://pdg.lbl.gov	F	age 4	Cre	eated: 5/30/2025 07:48			

 1 B(($b_{1}\pi$)_{D-wave})/B(($b_{1}\pi$)_{S-wave})=0.3 ± 0.1.

$\Gamma(\eta'(958)\pi^-)/\Gamma_{ m total}$				Г ₅ /Г
VALUE	<u>DOCUMENT</u>	ID	TECN	COMMENT
seen	IVANOV	01	B852	18 $\pi^- p \rightarrow \eta' \pi^- p$
$\Gamma(\eta'(958)\pi^-)/\Gamma(\eta\pi)$				Γ ₅ /Γ ₆
VALUE DOC	UMENT ID	TECN	COMMENT	
\bullet \bullet \bullet We do not use the follow	ing data for aver	ages, fits	s, limits, e	etc. • • •
5.54±1.1 ^{+1.8} _{-0.27} ¹ KOF	ΥF 21	RVUE	$0.9 \ p\overline{p} \rightarrow \\ \pi^0 K^+ \\ \pi^- \pi^-$	$\pi^{0} \pi^{0} \pi^{0} \eta, \pi^{0} \eta \eta,$ $\pi^{K^{-}}$ and 191 $\pi^{-} p \rightarrow \pi^{+} p$
¹ From T-matrix pole based (ALBRECHT 20), and CON of $\eta \pi$, $\eta' \pi$ and $K \overline{K}$ system	on combined fit MPASS data (AD ns.	of Crys OLPH 1	tal Barrel .5), using	and $\pi\pi$ scattering data a coupled-channel model
$\Gamma(f_1(1285)\pi)/\Gamma(\eta'(958)\pi)$	-)			Γ ₇ /Γ ₅

VALUE	EVTS	DOCUMENT I	D	TECN	COMMENT
3.80±0.78	69k	1 KUHN	04	B852	18 $\pi^- p \rightarrow \eta \pi^+ \pi^- \pi^- p$
1 Using η^\prime (958)) π data from	NIVANOV 01.			

$\pi_1(1600)$ REFERENCES

ALEXEEV KOPF ALBRECHT RODAS AGHASYAN	22 21 20 19 18B	PR D105 012005 EPJ C81 1056 EPJ C80 453 PRL 122 042002 PR D98 092003	 G.D. Alexeev et al. B. Kopf et al. M. Albrecht et al. A. Rodas et al. M. Aghasyan et al. 	(COMPASS Collab.) (BOCH) (Crystal Barrel Collab.) (JPAC Collab.) (COMPASS Collab.)
ALEKSEEV	10	PL D740 303 PRI 104 241803	M.G. Alekseev et al	(COMPASS Collab.)
NOZAR	09	PRL 102 102002	M. Nozar <i>et al.</i>	(JLab CLAS Collab.)
ADAMS	07B	PL B657 27	G.S. Adams et al.	(BNL E852 Collab.)
DZIERBA	06	PR D73 072001	A.R. Dzierba <i>et al.</i>	(BNL E852 Collab.)
LU	05	PRL 94 032002	M. Lu <i>et al.</i>	(BNL E852 Collab.)
KUHN	04	PL B595 109	J. Kuhn <i>et al.</i>	(BNL E852 Collab.)
SALVINI	04	EPJ C35 21	P. Salvini <i>et al.</i>	(OBELIX Collab.)
BAKER	03	PL B563 140	C.A. Baker <i>et al.</i>	
DZIERBA	03	PR D67 094015	A.R. Dzierba <i>et al.</i>	
CHUNG	02	PR D65 072001	S.U. Chung <i>et al.</i>	(BNL E852 Collab.)
IVANOV	01	PRL 86 3977	E.I. Ivanov <i>et al.</i>	(BNL E852 Collab.)
ABELE	99	PL B446 349	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ABELE	98B	PL B423 175	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ADAMS	98B	PRL 81 5760	G.S. Adams <i>et al.</i>	(BNL E852 Collab.)
THOMPSON	97	PRL 79 1630	D.R. Thompson <i>et al.</i>	(BNL E852 Collab.)
PROKOSHKIN	95B	PAN 58 606	Y.D. Prokoshkin, S.A. Sadovs	sky (SERP)
DUCC	~ 1	Iranslated from YAF 58 (562.	(1.0014)
BUGG	94	PR D50 4412	D.V. Bugg et al.	
AUYAGI	93	PL B314 240	H. Aoyagi <i>et al.</i>	
BOUTEMEUR	90 00 D	Hadron 89 Conf. p 119	M. Boutemeur, M. Poulet	(SERP, BELG, LANL LADD)
	00D 01	FL 0203 391	D.IVI. Alue et al. (3)	SERF, DELG, LANL, LAPP)
AFLL	01	NE DIA2 208	W.D. Aper et al.	(SERP, CERN)

https://pdg.lbl.gov