

$\Xi_c(2645)$

$I(J^P) = \frac{1}{2}(\frac{3}{2}^+)$ Status: ***

The natural assignment is that this is the $J^P = 3/2^+$ excitation of the Ξ_c in the same SU(4) multiplet as the $\Delta(1232)$, but the quantum numbers have not been measured.

$\Xi_c(2645)$ MASSES

$\Xi_c(2645)^+$ MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
2645.10±0.30 OUR FIT	Error includes scale factor of 1.2.			
2645.6 ±0.2 ^{+0.6}_{-0.8}	578 ± 32	LESIAK	08	BELL $e^+e^- \approx \Upsilon(4S)$

$\Xi_c(2645)^0$ MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
2646.16±0.25 OUR FIT	Error includes scale factor of 1.3.			
2645.7 ±0.2 ^{+0.6}_{-0.7}	611 ± 32	LESIAK	08	BELL $e^+e^- \approx \Upsilon(4S)$

$\Xi_c(2645) - \Xi_c$ MASS DIFFERENCES

$m_{\Xi_c(2645)^+} - m_{\Xi_c^0}$

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
174.67±0.09 OUR FIT				
174.66±0.06±0.07	1260	YELTON	16	BELL e^+e^- in Υ regions
• • • We do not use the following data for averages, fits, limits, etc. • • •				
177.1 ±0.5 ±1.1	47	FRABETTI	98B	E687 γ Be, $\overline{E}_\gamma = 220$ GeV
174.3 ±0.5 ±1.0	34	GIBBONS	96	CLE2 $e^+e^- \approx \Upsilon(4S)$

$m_{\Xi_c(2645)^0} - m_{\Xi_c^+}$

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
178.45±0.10 OUR FIT				
178.46±0.07±0.07	975	YELTON	16	BELL e^+e^- in Υ regions
• • • We do not use the following data for averages, fits, limits, etc. • • •				
178.2 ±0.5 ±1.0	55	EVERY	95	CLE2 $e^+e^- \approx \Upsilon(4S)$

$\Xi_c(2645)^+ - \Xi_c(2645)^0$ MASS DIFFERENCE

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
—1.06±0.27 OUR FIT Error includes scale factor of 1.1.			
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
−0.85±0.09±0.49	YELTON	16	BELL 1260 and 975 evts
−0.1 ±0.3 ±0.6	LESIAK	08	BELL ≈ 600 evts each

$\Xi_c(2645)$ WIDTHS

$\Xi_c(2645)^+$ WIDTH

VALUE (MeV)	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
2.14±0.19 OUR AVERAGE Error includes scale factor of 1.1.					
2.06±0.13±0.13		1260	YELTON	16	BELL e^+e^- in Υ regions
2.6 ±0.2 ±0.4		3.7k	KATO	14	BELL $e^+e^- \Upsilon(1S)\text{-}\Upsilon(5S)$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<3.1	90		GIBBONS	96	CLE2 $e^+e^- \approx \Upsilon(4S)$

$\Xi_c(2645)^0$ WIDTH

VALUE (MeV)	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
2.35±0.18±0.13					
		975	YELTON	16	BELL e^+e^- in Υ regions
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<5.5	90	55	AVERY	95	CLE2 $e^+e^- \approx \Upsilon(4S)$

$\Xi_c(2645)$ DECAY MODES

$\Xi_c \pi$ is the only strong decay allowed to a Ξ_c resonance having this mass.

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 \quad \Xi_c^0 \pi^+$	seen
$\Gamma_2 \quad \Xi_c^+ \pi^-$	seen

$\Xi_c(2645)$ REFERENCES

YELTON	16	PR D94 052011	J. Yelton <i>et al.</i>	(BELLE Collab.)
KATO	14	PR D89 052003	Y. Kato <i>et al.</i>	(BELLE Collab.)
LESIK	08	PL B665 9	T. Lesiak <i>et al.</i>	(BELLE Collab.)
FRABETTI	98B	PL B426 403	P.L. Frabetti <i>et al.</i>	(FNAL E687 Collab.)
GIBBONS	96	PRL 77 810	L.K. Gibbons <i>et al.</i>	(CLEO Collab.)
AVERY	95	PRL 75 4364	P. Avery <i>et al.</i>	(CLEO Collab.)