

## OTHER MESONS

### **$T_{c\bar{c}1}(3900)$**

$I^G(J^{PC}) = 1^+(1^{+-})$

was  $Z_c(3900)$ ,  $X(3900)$

Mass  $m = 3887.1 \pm 2.6$  MeV ( $S = 1.7$ )  
 Full width  $\Gamma = 28.4 \pm 2.6$  MeV

<b><math>T_{c\bar{c}1}(3900)</math> DECAY MODES</b>	Fraction ( $\Gamma_i/\Gamma$ )	$p$ (MeV/c)
$J/\psi \pi$	seen	699
$h_c \pi^\pm$	not seen	318
$\eta_c \pi^+ \pi^-$	not seen	758
$\eta_c(1S)\rho(770)^\pm$	seen	—
$(D\bar{D}^*)^\pm$	seen	—
$D^0 D^{*-} + \text{c.c.}$	seen	152
$D^- D^{*0} + \text{c.c.}$	seen	143
$\omega \pi^\pm$	not seen	1862
$J/\psi \eta$	not seen	510
$D^+ D^{*-} + \text{c.c.}$	seen	—
$D^0 \bar{D}^{*0} + \text{c.c.}$	seen	—

### **$T_{c\bar{c}}(4020)$**

$I^G(J^{PC}) = 1^+(?^-)$

was  $X(4020)$

Mass  $m = 4024.1 \pm 1.9$  MeV  
 Full width  $\Gamma = 13 \pm 5$  MeV ( $S = 1.7$ )

<b><math>T_{c\bar{c}}(4020)</math> DECAY MODES</b>	Fraction ( $\Gamma_i/\Gamma$ )	$p$ (MeV/c)
$h_c(1P)\pi$	seen	450
$D^* \bar{D}^*$	seen	85
$D \bar{D}^* + \text{c.c.}$	not seen	542
$\eta_c \pi^+ \pi^-$	not seen	872
$\eta_c(1S)\rho(770)^\pm$	not seen	—
$J/\psi(1S)\pi^\pm$	not seen	811

### **$T_{c\bar{c}1}(4430)^+$**

$I^G(J^{PC}) = 1^+(1^{+-})$

$G, C$  need confirmation.

was  $Z_c(4430)$ ,  $X(4430)^\pm$

Mass  $m = 4478^{+15}_{-18}$  MeV  
 Full width  $\Gamma = 181 \pm 31$  MeV

**$T_{c\bar{c}1}(4430)^+$  DECAY MODES**

	Fraction ( $\Gamma_i/\Gamma$ )	$p$ (MeV/c)
$\pi^+ \psi(2S)$	seen	711
$\pi^+ J/\psi$	seen	1162

**$T_{cc\bar{c}\bar{c}}(6900)^0$**

$$I^G(J^{PC}) = 0^+(?^?+)$$

was  $X(6900)$

Mass  $m = 6914 \pm 11$  MeV ( $S = 1.6$ )

Full width  $\Gamma = 137 \pm 21$  MeV

**$T_{cc\bar{c}\bar{c}}(6900)^0$  DECAY MODES**

	Fraction ( $\Gamma_i/\Gamma$ )	$p$ (MeV/c)
$J/\psi J/\psi$	seen	1504

**$T_{bb1}(10610)$**

$$I^G(J^{PC}) = 1^+(1^{+-})$$

was  $Z_b(10610)$ ,  $X(10610)$

Mass  $m = 10607.2 \pm 2.0$  MeV

Mass  $m = 10609 \pm 6$  MeV

Full width  $\Gamma = 18.4 \pm 2.4$  MeV

**$T_{bb1}(10610)$  DECAY MODES**

	Fraction ( $\Gamma_i/\Gamma$ )	$p$ (MeV/c)
$\gamma(1S)\pi^+$	$(5.4^{+1.9}_{-1.5}) \times 10^{-3}$	1077
$\gamma(1S)\pi^0$	not seen	1077
$\gamma(2S)\pi^+$	$(3.6^{+1.1}_{-0.8}) \%$	551
$\gamma(2S)\pi^0$	seen	552
$\gamma(3S)\pi^+$	$(2.1^{+0.8}_{-0.6}) \%$	207
$\gamma(3S)\pi^0$	seen	210
$h_b(1P)\pi^+$	$(3.5^{+1.2}_{-0.9}) \%$	671
$h_b(2P)\pi^+$	$(4.7^{+1.7}_{-1.3}) \%$	313
$B^+\bar{B}^0$	not seen	504
$B^+\bar{B}^{*0} + B^{*+}\bar{B}^0$	$(85.6^{+2.1}_{-2.9}) \%$	—

## **$T_{b\bar{b}1}(10650)$**

$I^G(J^{PC}) = 1^+(1^+^-)$   
 $I, G, C$  need confirmation.

was  $Z_b(10650)$ ,  $X(10650)^\pm$

Mass  $m = 10652.2 \pm 1.5$  MeV

Full width  $\Gamma = 11.5 \pm 2.2$  MeV

<b><math>T_{b\bar{b}1}(10650)</math> DECAY MODES</b>	Fraction ( $\Gamma_i/\Gamma$ )	$p$ (MeV/c)
$\gamma(1S)\pi^+$	( $1.7^{+0.8}_{-0.6}$ ) $\times 10^{-3}$	1117
$\gamma(2S)\pi^+$	( $1.4^{+0.6}_{-0.4}$ ) %	595
$\gamma(3S)\pi^+$	( $1.6^{+0.7}_{-0.5}$ ) %	259
$h_b(1P)\pi^+$	( $8.4^{+2.9}_{-2.4}$ ) %	714
$h_b(2P)\pi^+$	( $15 \pm 4$ ) %	360
$B^+\overline{B}^0$	not seen	703
$B^+\overline{B}^{*0} + B^{*+}\overline{B}^0$	not seen	—
$B^{*+}\overline{B}^{*0}$	( $74^{+4}_{-6}$ ) %	120